



## ACRYLIC

See FSF-607 for additional specifications

Example:

FS- **O** **25** **R** **20** **A** **VP**

FILTER MEDIA MICRON	RETENTION DIAMETER	NOM. (Inches) LENGTH	NOM. (Inches) CORE	MATERIAL CORE	COVER CORE	EXTENDER
O - Acrylic (Orlon®)	1		4 - 3-7/8	A - 316 Stainless steel	No symbol - None	No symbol - None
	3	Q - 2-1/4	5 - 4-7/8			
	5	R - 2-1/2	6 - 5-7/8	P - Polypropylene		
	10	S - 2-3/4	7 - 6-7/8			
	15	T - 2	8 - 7-7/8	S - 304 Stainless steel		
	20	V - 2-1/8	9 - 8-7/8			
	25	W - 2-3/8	92- 9-7/16	T - Tinned steel		
	30	X - 4	93- 9-3/4			
	40	Y - 2-5/8	97- 9-7/8	Z - Special		
	50	Z - Special	10- 10			
	75		12- 12			
	100		19- 19-3/4			
	150		20- 20			
	200		29- 29-3/4			
			30- 30			
			40- 40			
		99- Special				

\*Orlon is a registered trademark of DuPont.

MODEL	LIST PRICE
O.5R10A	5.44
O.5R10P	3.73
O.5R10S	4.58
O.5R10T	3.78
O.5R20A	11.13
O.5R20P	7.88
O.5R20S	10.13
O.5R20T	8.00
O.5R30A	16.52
O.5R30P	11.64
O.5R30S	15.07
O.5R30T	11.76
O.5R40A	21.74
O.5R40P	15.13
O.5R40S	19.49
O.5R40T	15.67
O100R10A	4.78
O100R10P	3.07
O100R10S	3.92

MODEL	LIST PRICE
O100R10T	3.12
O100R20A	10.20
O100R20P	6.95
O100R20S	9.20
O100R20T	7.07
O100R30A	15.10
O100R30P	10.21
O100R30S	13.65
O100R30T	10.34
O100R40A	19.88
O100R40P	13.27
O100R40S	17.63
O100R40T	13.81
O10R10A	5.07
O10R10P	3.36
O10R10S	4.21
O10R10T	3.41
O10R20A	10.23
O10R20P	6.98

MODEL	LIST PRICE
O10R20S	9.24
O10R20T	7.10
O10R30A	15.78
O10R30P	10.89
O10R30S	14.32
O10R30T	11.02
O10R40A	20.75
O10R40P	14.14
O10R40S	18.50
O10R40T	14.68
O150R10A	4.75
O150R10P	3.04
O150R10S	3.89
O150R10T	3.09
O150R20A	10.14
O150R20P	6.88
O150R20S	9.14
O150R20T	7.00
O150R30A	15.00

MODEL	LIST PRICE
O150R30P	10.12
O150R30S	13.55
O150R30T	10.24
O150R40A	19.75
O150R40P	13.14
O150R40S	17.50
O150R40T	13.68
O15R10A	5.04
O15R10P	3.33
O15R10S	4.18
O15R10T	3.38
O15R20A	10.20
O15R20P	6.95
O15R20S	9.20
O15R20T	7.07
O15R30A	15.74
O15R30P	10.86
O15R30S	14.29
O15R30T	10.98

## ACRYLIC

MODEL	LIST PRICE
O15R40A	20.72
O15R40P	14.11
O15R40S	18.47
O15R40T	14.65
O1R10A	5.23
O1R10P	3.52
O1R10S	4.37
O1R10T	3.58
O1R20A	10.72
O1R20P	7.46
O1R20S	9.72
O1R20T	7.58
O1R30A	15.90
O1R30P	11.02
O1R30S	14.45
O1R30T	11.15
O1R40A	20.91
O1R40P	14.30
O1R40S	18.66
O1R40T	14.84
O200R10A	4.68
O200R10P	2.97
O200R10S	3.83
O200R10T	3.03
O200R20A	10.07
O200R20P	6.82
O200R20S	9.07
O200R20T	6.94
O200R30A	14.91
O200R30P	10.02
O200R30S	13.45
O200R30T	10.15
O200R40A	19.59
O200R40P	12.98
O200R40S	17.34
O200R40T	13.52
O20R10A	5.00
O20R10P	3.29
O20R10S	4.15
O20R10T	3.35
O20R20A	10.49

MODEL	LIST PRICE
O20R20P	7.24
O20R20S	9.49
O20R20T	7.36
O20R30A	15.49
O20R30P	10.60
O20R30S	14.03
O20R30T	10.73
O20R40A	20.20
O20R40P	13.59
O20R40S	17.95
O20R40T	14.13
O25R10A	5.00
O25R10P	3.29
O25R10S	4.15
O25R10T	3.35
O25R20A	10.46
O25R20P	7.21
O25R20S	9.46
O25R20T	7.32
O25R30A	15.45
O25R30P	10.57
O25R30S	14.00
O25R30T	10.69
O25R40A	20.17
O25R40P	13.56
O25R40S	17.92
O25R40T	14.10
O30R10A	4.94
O30R10P	3.23
O30R10S	4.08
O30R10T	3.29
O30R20A	10.36
O30R20P	7.11
O30R20S	9.37
O30R20T	7.23
O30R30A	15.39
O30R30P	10.50
O30R30S	13.94
O30R30T	10.63
O30R40A	20.10
O30R40P	13.49

MODEL	LIST PRICE
O30R40S	17.85
O30R40T	14.03
O3R10A	5.20
O3R10P	3.49
O3R10S	4.34
O3R10T	3.54
O3R20A	10.68
O3R20P	7.43
O3R20S	9.69
O3R20T	7.55
O3R30A	15.90
O3R30P	11.02
O3R30S	14.45
O3R30T	11.15
O3R40A	20.88
O3R40P	14.27
O3R40S	18.63
O3R40T	14.81
O40R10A	4.91
O40R10P	3.20
O40R10S	4.05
O40R10T	3.25
O40R20A	10.33
O40R20P	7.08
O40R20S	9.33
O40R20T	7.20
O40R30A	15.36
O40R30P	10.47
O40R30S	13.90
O40R30T	10.60
O40R40A	20.07
O40R40P	13.46
O40R40S	17.82
O40R40T	14.00
O50R10A	4.87
O50R10P	3.16
O50R10S	4.02
O50R10T	3.22
O50R20A	10.33
O50R20P	7.08
O50R20S	9.33

MODEL	LIST PRICE
O50R20T	7.20
O50R30A	15.29
O50R30P	10.41
O50R30S	13.84
O50R30T	10.53
O50R40A	20.04
O50R40P	13.43
O50R40S	17.79
O50R40T	13.97
O5R10A	5.10
O5R10P	3.39
O5R10S	4.24
O5R10T	3.45
O5R20A	10.59
O5R20P	7.34
O5R20S	9.59
O5R20T	7.45
O5R30A	15.81
O5R30P	10.92
O5R30S	14.35
O5R30T	11.05
O5R40A	20.78
O5R40P	14.17
O5R40S	18.53
O5R40T	14.71
O75R10A	4.81
O75R10P	3.10
O75R10S	3.95
O75R10T	3.16
O75R20A	10.30
O75R20P	7.05
O75R20S	9.30
O75R20T	7.16
O75R30A	15.20
O75R30P	10.31
O75R30S	13.74
O75R30T	10.44
O75R40A	19.94
O75R40P	13.33
O75R40S	17.69
O75R40T	13.87

624 N. Fairfield St. Amarillo, TX. 79107 [www.filterspun.com](http://www.filterspun.com) (800) 432 - 0108 Fax: (806) 383 - 3842


## ANTIMICROBIAL POLYPROPYLENE

See FSF-621 for additional specifications

EXAMPLE: FS- **AMP** **10** **R** **20** **P** **C** **EP**

FILTER MEDIA	MICRON RETENTION	DIAMETER NOM. (Inches)	LENGTH NOM. (Inches)	CORE MATERIAL	CORE COVER	CORE EXTENDER	
<b>AMP</b> - Antimicrobial Polypropylene  <sup>1</sup> Meets FDA regulations for potable water (drinking water)	1	<b>Q</b> - 2-1/4	4 - 3-7/8 5 - 4-7/8	<b>A</b> - 316 Stainless steel	No symbol - None	No symbol - None	
	3	<b>R</b> - 2-1/2	6 - 5-7/8 7 - 6-7/8				
	5	<b>S</b> - 2-3/4	8 - 7-7/8 9 - 8-7/8	<b>P</b> - Polypropylene		No symbol - None	<b>EP</b> - Polypropylene
	10	<b>T</b> - 2	92- 9-7/16				
	15	<b>V</b> - 2-1/8	93- 9-3/4 97- 9-7/8	<b>S</b> - 304 Stainless steel		No symbol - None	<b>EPS</b> - One piece polypropylene spring and top seal
	20	<b>W</b> - 2-3/8	10- 10 12- 12				
	25	<b>Y</b> - 2-5/8	19- 19-3/4 20- 20	<b>T</b> - Tinned steel		No symbol - None	<b>VP</b> - 316 Stainless steel
	30	<b>X</b> - 4	29- 29-3/4 30- 30				
	40	<b>Z</b> - Special	40- 40 99- Special				
	50						
	75						
	100						
	150						
	200						

MODEL	LIST PRICE
AMP.5R10A	6.05
AMP.5R10P	4.34
AMP.5R10S	5.19
AMP.5R10T	4.39
AMP.5R20A	12.48
AMP.5R20P	9.29
AMP.5R20S	11.48
AMP.5R20T	9.34
AMP.5R30A	18.58
AMP.5R30P	13.80
AMP.5R30S	17.13
AMP.5R30T	13.94
AMP.5R40A	24.15
AMP.5R40P	17.65
AMP.5R40S	21.90
AMP.5R40T	18.08
AMP100R10P	3.65

MODEL	LIST PRICE
AMP100R20A	11.24
AMP100R20P	8.50
AMP100R20S	10.24
AMP100R20T	8.10
AMP100R30A	16.63
AMP100R30P	12.53
AMP100R30S	15.17
AMP100R30T	11.98
AMP100R40A	21.67
AMP100R40P	16.09
AMP100R40S	19.42
AMP100R40T	15.60
AMP10R10P	4.09
AMP10R20A	11.77
AMP10R20P	9.04
AMP10R20S	10.78
AMP10R20T	8.64

MODEL	LIST PRICE
AMP10R30A	17.65
AMP10R30P	13.55
AMP10R30S	16.20
AMP10R30T	13.01
AMP10R40A	22.99
AMP10R40P	17.41
AMP10R40S	20.74
AMP10R40T	16.92
AMP150R10P	3.60
AMP150R20A	11.14
AMP150R20P	8.41
AMP150R20S	10.14
AMP150R20T	8.01
AMP150R30A	16.48
AMP150R30P	12.38
AMP150R30S	15.03
AMP150R30T	11.84

MODEL	LIST PRICE
AMP150R40A	21.48
AMP150R40P	15.89
AMP150R40S	19.22
AMP150R40T	15.40
AMP15R10P	4.04
AMP15R20A	11.73
AMP15R20P	8.99
AMP15R20S	10.73
AMP15R20T	8.59
AMP15R30A	17.60
AMP15R30P	13.50
AMP15R30S	16.15
AMP15R30T	12.96
AMP15R40A	22.94
AMP15R40P	17.36
AMP15R40S	20.69
AMP15R40T	16.87

**ANTIMICROBIAL POLYPROPYLENE**

MODEL	LIST PRICE
AMP1R10P	4.34
AMP1R20A	12.02
AMP1R20P	9.29
AMP1R20S	11.02
AMP1R20T	8.88
AMP1R30A	17.90
AMP1R30P	13.80
AMP1R30S	16.44
AMP1R30T	13.25
AMP1R40A	23.23
AMP1R40P	17.65
AMP1R40S	20.98
AMP1R40T	17.16
AMP200R10P	3.51
AMP200R20A	11.04
AMP200R20P	8.31
AMP200R20S	10.04
AMP200R20T	7.91
AMP200R30A	16.33
AMP200R30P	12.24
AMP200R30S	14.88
AMP200R30T	11.69
AMP200R40A	21.23
AMP200R40P	15.65
AMP200R40S	18.98
AMP200R40T	15.16
AMP20R10P	3.99
AMP20R20A	11.68
AMP20R20P	8.94
AMP20R20S	10.68
AMP20R20T	8.54
AMP20R30A	17.36
AMP20R30P	13.11

MODEL	LIST PRICE
AMP20R30S	15.91
AMP20R30T	12.71
AMP20R40A	22.16
AMP20R40P	16.58
AMP20R40S	19.91
AMP20R40T	16.09
AMP25R10P	3.99
AMP25R20A	11.63
AMP25R20P	8.89
AMP25R20S	10.63
AMP25R20T	8.49
AMP25R30A	17.16
AMP25R30P	13.06
AMP25R30S	15.71
AMP25R30T	12.52
AMP25R40A	22.11
AMP25R40P	16.53
AMP25R40S	19.86
AMP25R40T	16.04
AMP30R10P	3.90
AMP30R20A	11.48
AMP30R20P	8.75
AMP30R20S	10.48
AMP30R20T	8.35
AMP30R30A	17.07
AMP30R30P	12.97
AMP30R30S	15.61
AMP30R30T	12.42
AMP30R40A	22.01
AMP30R40P	16.43
AMP30R40S	19.76
AMP30R40T	15.94
AMP3R10P	4.29

MODEL	LIST PRICE
AMP3R20A	11.97
AMP3R20P	9.24
AMP3R20S	10.97
AMP3R20T	8.83
AMP3R30A	17.85
AMP3R30P	13.75
AMP3R30S	16.39
AMP3R30T	13.20
AMP3R40A	23.18
AMP3R40P	17.60
AMP3R40S	20.93
AMP3R40T	17.11
AMP40R10P	3.85
AMP40R20A	11.43
AMP40R20P	8.70
AMP40R20S	10.44
AMP40R20T	8.30
AMP40R30A	17.02
AMP40R30P	12.92
AMP40R30S	15.56
AMP40R30T	12.37
AMP40R40A	21.96
AMP40R40P	16.38
AMP40R40S	19.71
AMP40R40T	15.89
AMP50R10P	3.80
AMP50R20A	11.43
AMP50R20P	8.70
AMP50R20S	10.44
AMP50R20T	8.30
AMP50R30A	16.92
AMP50R30P	12.82
AMP50R30S	15.47

MODEL	LIST PRICE
AMP50R30T	12.28
AMP50R40A	21.91
AMP50R40P	16.33
AMP50R40S	19.66
AMP50R40T	15.84
AMP5R10P	4.14
AMP5R20A	11.82
AMP5R20P	9.09
AMP5R20S	10.83
AMP5R20T	8.69
AMP5R30A	17.70
AMP5R30P	13.60
AMP5R30S	16.25
AMP5R30T	13.06
AMP5R40A	23.04
AMP5R40P	17.46
AMP5R40S	20.79
AMP5R40T	16.97
AMP75R10P	3.70
AMP75R20A	11.38
AMP75R20P	8.55
AMP75R20S	10.39
AMP75R20T	8.25
AMP75R30A	16.77
AMP75R30P	12.67
AMP75R30S	15.32
AMP75R30T	12.13
AMP75R40A	21.77
AMP75R40P	16.19
AMP75R40S	19.52
AMP75R40T	15.70



## CARBON

See FSF-601 for additional specifications

Example: FS-

**ACP**

**3**

**S**

**93**

**P**

TYPE	MICRON INNER WOUND	DIAMETER	LENGTH	CORE MATERIAL
<b>ACP</b> - Super Carbon PE Shell/PP inner wind <b>ACC</b> - Super Carbon PE Shell/cotton inner wind <b>ACPW</b> - Super Carbon PE Shell/FDA poly inner wind <b>PAC</b> - Combination Wound Polypropylene <b>CAC</b> - Combination Wound Cotton <b>PWAC</b> - Combination Wound FDA - Polypro  <i>PE Shell and Combination Wound outer layer rated @ 50 micron</i>	1 3 5	R - 2-1/2 S - 2-3/4 X - 4	93 - (9-3/4) 10 - (10) 19 - (19-3/4) 20 - (20) 29 - (29-3/4) 30 - (30)	A - 316 Stainless Steel P - Polypropylene S - 304 Stainless Steel T - Tinned Steel  All cores have a 1" nominal I. D.

MODEL	LIST PRICE
ACC3S10P	15.39
ACC3S20P	28.61
ACP3S10P	15.72
ACP3S20P	31.10
ACP3S30P	41.89
ACP3S93P	14.56
ACPMR10	14.19
ACPW3S10P	14.79
ACPW3S19P	18.26

MODEL	LIST PRICE
ACPW3S20P	28.36
ACPW3S29P	43.04
ACPW3S93P	15.92
CAC5R10T	6.33
CAC5R20T	12.80
CAC5R30S	23.94
CAC5S30T	22.89
PAC1S20P	13.99
PAC20X20P	18.98

MODEL	LIST PRICE
PAC50X20P	18.70
PAC5R10P	7.21
PAC5R20P	14.03
PAC5R30P	21.11
PAC5S10P	7.39
PAC5S20P	14.67
PAC5S30P	21.84
PAC5S30S	25.21
PAC5X20P	18.38

MODEL	LIST PRICE
PWAC5R19P	9.46
PWAC5R20P	12.43
PWAC5R93P	7.07
PWAC5S10P	6.78
PWAC5S19P	14.78
PWAC5S29P	21.95
PWAC5S93P	7.43
PWAC5X10P	10.32
PWAC5X20P	19.18

## COALESCING ELEMENTS

See FSF-611 for additional specifications

MODEL	LIST PRICE
CEN2.5x10P	18.25
CEP2.5X10P	17.50

MODEL	LIST PRICE
CEG2.5X10P	26.20
CEN4x11S	46.50

MODEL	LIST PRICE
CEP4X11S	42.15
CEG4x11S	117.99

624 N. Fairfield St. Amarillo, TX. 79107 [www.filterspun.com](http://www.filterspun.com) (800) 432 - 0108 Fax: (806) 383 - 3842


## BLEACHED COTTON

See FSF-602 for additional specifications

**Example:** FS- **C** **10** **R** **20** **A** **C** **VP**

FILTER MEDIA	MICRON RETENTION	DIAMETER NOM. (Inches)	LENGTH NOM. (Inches)	CORE MATERIAL	CORE COVER	CORE EXTENDER
<b>C</b> - Bleached cotton <sup>1,2</sup>  <sup>1</sup> Meets FDA regulations for potable (drinking) water.  <sup>2</sup> Free of "sizing" and yarn "finish" substances.	.5		4 - 3-7/8	<b>A</b> - 316 Stainless steel	Nosymbol - None  <b>C</b> - Cover compatible with media  <b>Z</b> - Special	No symbol - None  <b>EP</b> - Polypropylene  <b>EPS</b> - One piece polypropylene spring and top seal  <b>VP</b> - 316 Stainless steel  <b>Z</b> - Special
	1	<b>Q</b> - 2-1/4	5 - 4-7/8			
	3	<b>R</b> - 2-1/2	6 - 5-7/8			
	5	<b>S</b> - 2-3/4	7 - 6-7/8			
	10	<b>T</b> - 2	8 - 7-7/8			
	15	<b>V</b> - 2-1/8	9 - 8-7/8			
	20	<b>W</b> - 2-3/8	92- 9-7/16	<b>P</b> - Polypropylene		
	25	<b>X</b> - 2-5/8	93- 9-3/4			
	30	<b>Y</b> - 2-5/8	97- 9-7/8			
	40	<b>Z</b> - Special	10- 10	<b>S</b> - 304 Stainless steel		
	50		12- 12			
	75		19- 19-3/4			
	100		20- 20	<b>T</b> - Tinned steel		
	150		29- 29-3/4			
	200		30- 30			
				40- 40	<b>Z</b> - Special	
			99- Special			

MODEL	LIST PRICE	MODEL	LIST PRICE	MODEL	LIST PRICE	MODEL	LIST PRICE
C.5R10A	5.26	C.5R40T	15.14	C100R20TC	6.45	C100R40TC	13.80
C.5R10P	3.55	C100R10A	4.42	C100R30A	13.66	C10R10A	4.96
C.5R10S	4.40	C100R10AC	4.62	C100R30AC	14.27	C10R10AC	5.16
C.5R10T	3.61	C100R10P	2.71	C100R30P	8.88	C10R10P	3.25
C.5R20A	10.62	C100R10PC	2.91	C100R30PC	9.48	C10R10PC	3.45
C.5R20P	7.43	C100R10S	3.57	C100R30S	12.21	C10R10S	4.10
C.5R20S	9.63	C100R10SC	3.77	C100R30SC	12.82	C10R10SC	4.30
C.5R20T	7.49	C100R10T	2.77	C100R30T	9.02	C10R10T	3.30
C.5R3.75S	2.05	C100R10TC	2.97	C100R30TC	9.63	C10R10TC	3.51
C.5R30A	15.84	C100R20A	9.18	C100R40A	19.06	C10R20A	9.98
C.5R30P	11.06	C100R20AC	9.59	C100R40AC	19.87	C10R20AC	10.39
C.5R30S	14.39	C100R20P	5.99	C100R40P	12.53	C10R20P	6.79
C.5R30T	11.20	C100R20PC	6.39	C100R40PC	13.34	C10R20PC	7.20
C.5R40A	21.21	C100R20S	8.18	C100R40S	16.81	C10R20S	8.99
C.5R40P	14.68	C100R20SC	8.59	C100R40SC	17.62	C10R20SC	9.39
C.5R40S	18.96	C100R20T	6.05	C100R40T	12.99	C10R20T	6.85

## BLEACHED COTTON

MODEL	LIST PRICE	MODEL	LIST PRICE	MODEL	LIST PRICE	MODEL	LIST PRICE
C10R20TC	7.25	C150R20PC	6.29	C15R30AC	15.17	C1R30S	13.78
C10R29A	13.28	C150R20S	8.08	C15R30P	9.78	C1R30SC	14.39
C10R30A	14.67	C150R20SC	8.49	C15R30PC	10.39	C1R30T	10.59
C10R30AC	15.28	C150R20T	5.94	C15R30S	13.11	C1R30TC	11.20
C10R30P	9.88	C150R20TC	6.35	C15R30SC	13.72	C1R40A	20.40
C10R30PC	10.49	C150R30A	13.56	C15R30T	9.92	C1R40AC	21.21
C10R30S	13.21	C150R30AC	14.17	C15R30TC	10.53	C1R40P	13.87
C10R30SC	13.82	C150R30P	8.78	C15R40A	20.06	C1R40PC	14.68
C10R30T	10.02	C150R30PC	9.38	C15R40AC	20.87	C1R40S	18.15
C10R30TC	10.63	C150R30S	12.11	C15R40P	13.54	C1R40SC	18.96
C10R40A	20.10	C150R30SC	12.72	C15R40PC	14.34	C1R40T	14.33
C10R40AC	20.91	C150R30T	8.92	C15R40S	17.81	C1R40TC	15.14
C10R40P	13.57	C150R30TC	9.52	C15R40SC	18.62	C1R93T	3.11
C10R40PC	14.38	C150R40A	18.92	C15R40T	13.99	C1R97T	2.94
C10R40S	17.84	C150R40AC	19.73	C15R40TC	14.80	C1W29.25S	11.71
C10R40SC	18.65	C150R40P	12.40	C15R4S	2.48	C1X93P	9.26
C10R40T	14.03	C150R40PC	13.21	C15R93P	2.85	C200R10A	4.32
C10R40TC	14.83	C150R40S	16.67	C1R10A	5.06	C200R10AC	4.52
C10R4S	2.37	C150R40SC	17.48	C1R10AC	5.26	C200R10P	2.61
C10R4SC	2.48	C150R40T	12.85	C1R10P	3.35	C200R10PC	2.81
C10R5P	2.02	C150R40TC	13.66	C1R10PC	3.55	C200R10S	3.47
C10R5S	2.79	C15R10A	4.89	C1R10S	4.20	C200R10SC	3.67
C10R93T	3.14	C15R10AC	5.09	C1R10SC	4.40	C200R10T	2.67
C10R97S	4.02	C15R10P	3.18	C1R10TC	3.40	C200R10TC	2.87
C10S10S	4.96	C15R10PC	3.38	C1R10T	3.61	C200R20A	8.98
C10W10A	4.13	C15R10S	4.03	C1R20A	10.22	C200R20AC	9.38
C10W10S	3.68	C15R10SC	4.24	C1R20AC	10.62	C200R20P	5.79
C150R10A	4.35	C15R10T	3.24	C1R20P	7.03	C200R20PC	6.19
C150R10AC	4.56	C15R10TC	3.44	C1R20PC	7.43	C200R20S	7.98
C150R10P	2.64	C15R20A	9.88	C1R20S	9.22	C200R20SC	8.39
C150R10PC	2.85	C15R20AC	10.29	C1R20SC	9.63	C200R20T	5.84
C150R10S	3.50	C15R20P	6.69	C1R20T	7.08	C200R20TC	6.25
C150R10SC	3.70	C15R20PC	7.10	C1R20TC	7.49	C200R30A	13.50
C150R10T	2.70	C15R20S	8.89	C1R3.75S	2.22	C200R30AC	14.10
C150R10TC	2.90	C15R20SC	9.29	C1R30A	15.24	C200R30P	8.71
C150R20A	9.08	C15R20T	6.75	C1R30AC	15.84	C200R30PC	9.32
C150R20AC	9.48	C15R20TC	7.15	C1R30P	10.45	C200R30S	12.04
C150R20P	5.89	C15R30A	14.57	C1R30PC	11.06	C200R30SC	12.65

## BLEACHED COTTON

MODEL	LIST PRICE	MODEL	LIST PRICE	MODEL	LIST PRICE	MODEL	LIST PRICE
C200R30T	8.85	C20R40S	17.71	C25R40PC	14.11	C30R40T	13.69
C200R30TC	9.46	C20R40SC	18.52	C25R40S	17.58	C30R40TC	14.50
C200R40A	18.72	C20R40T	13.89	C25R40SC	18.39	C30R4AC	2.71
C200R40AC	19.53	C20R40TC	14.70	C25R40T	13.58	C30R5S	2.85
C200R40P	12.20	C20R4S	2.34	C25R40TC	14.39	C30R93S	3.85
C200R40PC	12.86	C20R4SC	2.45	C25R93S	4.10	C3R10A	5.02
C200R40S	16.47	C20R93S	3.82	C25R97S	4.05	C3R10AC	5.23
C200R40SC	17.28	C20R97S	4.33	C30R10A	4.66	C3R10P	3.31
C200R40T	12.65	C20S10S	5.07	C30R10AC	4.86	C3R10PC	3.52
C200R40TC	13.46	C20S93T	4.33	C30R10P	2.95	C3R10S	4.17
C20R10A	4.76	C25R10A	4.72	C30R10PC	3.15	C3R10SC	4.37
C20R10AC	4.96	C25R10AC	4.92	C30R10S	3.80	C3R10T	3.37
C20R10P	3.05	C25R10P	3.01	C30R10SC	4.00	C3R10TC	3.57
C20R10PC	3.25	C25R10PC	3.21	C30R10T	3.00	C3R20A	10.12
C20R10S	3.90	C25R10S	3.87	C30R10TC	3.20	C3R20AC	10.52
C20R10SC	4.10	C25R10SC	4.07	C30R20A	9.41	C3R20P	6.93
C20R10T	3.10	C25R10T	3.07	C30R20AC	9.82	C3R20PC	7.33
C20R10TC	3.30	C25R10TC	3.27	C30R20P	6.22	C3R20S	9.12
C20R20A	9.48	C25R20A	9.45	C30R20PC	6.63	C3R20SC	9.53
C20R20AC	9.89	C25R20AC	9.85	C30R20S	8.42	C3R20T	6.98
C20R20P	6.24	C25R20P	6.26	C30R20SC	8.82	C3R20TC	7.39
C20R20PC	6.65	C25R20PC	6.66	C30R20T	6.28	C3R30A	15.17
C20R20S	8.48	C25R20S	8.45	C30R20TC	6.68	C3R30AC	15.78
C20R20SC	8.89	C25R20SC	8.86	C30R3.75S	2.19	C3R30P	10.38
C20R20T	6.35	C25R20T	6.31	C30R30A	14.17	C3R30PC	10.99
C20R20TC	6.75	C25R20TC	6.72	C30R30AC	14.77	C3R30S	13.72
C20R30A	14.47	C25R3.75T	1.51	C30R30P	9.38	C3R30SC	14.32
C20R30AC	15.07	C25R30A	14.30	C30R30PC	9.99	C3R30T	10.53
C20R30P	9.68	C25R30AC	14.91	C30R30S	12.71	C3R30TC	11.13
C20R30PC	10.29	C25R30P	9.51	C30R30SC	13.32	C3R40A	20.30
C20R30S	13.01	C25R30PC	10.12	C30R30T	9.52	C3R40AC	21.11
C20R30SC	13.62	C25R30S	12.85	C30R30TC	10.13	C3R40P	13.77
C20R30T	9.82	C25R30SC	13.45	C30R40A	19.76	C3R40PC	14.58
C20R30TC	10.43	C25R30T	9.65	C30R40AC	20.57	C3R40S	18.05
C20R40A	19.96	C25R30TC	10.26	C30R40P	13.23	C3R40SC	18.85
C20R40AC	20.77	C25R40A	19.83	C30R40PC	14.04	C3R40T	14.23
C20R40P	13.43	C25R40AC	20.64	C30R40S	17.51	C3R40TC	15.04
C20R40PC	14.24	C25R40P	13.30	C30R40SC	18.32	C40R10A	4.62

## BLEACHED COTTON

MODEL	LIST PRICE	MODEL	LIST PRICE	MODEL	LIST PRICE	MODEL	LIST PRICE
C40R10AC	4.82	C50R10PC	3.08	C5R10P	3.28	C75R10A	4.52
C40R10P	2.91	C50R10S	3.73	C5R10PC	3.48	C75R10AC	4.72
C40R10PC	3.11	C50R10SC	3.94	C5R10S	4.13	C75R10P	2.81
C40R10S	3.77	C50R10T	2.94	C5R10SC	4.34	C75R10PC	3.01
C40R10SC	3.97	C50R10TC	3.14	C5R10T	3.34	C75R10S	3.67
C40R10T	2.97	C50R20A	9.35	C5R10TC	3.54	C75R10SC	3.87
C40R10TC	3.17	C50R20AC	9.75	C5R20A	10.05	C75R10T	2.87
C40R20A	9.38	C50R20P	6.16	C5R20AC	10.46	C75R10TC	3.07
C40R20AC	9.79	C50R20PC	6.56	C5R20P	6.86	C75R20A	9.28
C40R20P	6.19	C50R20S	8.35	C5R20PC	7.26	C75R20AC	9.69
C40R20PC	6.59	C50R20SC	8.75	C5R20S	9.05	C75R20P	6.09
C40R20S	8.38	C50R20T	6.21	C5R20SC	9.46	C75R20PC	6.49
C40R20SC	8.79	C50R20TC	6.62	C5R20T	6.92	C75R20S	8.28
C40R20T	6.25	C50R30A	13.97	C5R20TC	7.32	C75R20SC	8.69
C40R20TC	6.65	C50R30AC	14.57	C5R3.75S	1.82	C75R20T	6.15
C40R30A	14.10	C50R30P	9.18	C5R30A	15.10	C75R20TC	6.55
C40R30AC	14.71	C50R30PC	9.78	C5R30AC	15.71	C75R30A	13.80
C40R30P	9.31	C50R30S	12.51	C5R30P	10.32	C75R30AC	14.40
C40R30PC	9.92	C50R30SC	13.12	C5R30PC	10.92	C75R30P	9.01
C40R30S	12.65	C50R30T	9.32	C5R30S	13.65	C75R30PC	9.62
C40R30SC	13.25	C50R30TC	9.93	C5R30SC	14.26	C75R30S	12.34
C40R30T	9.45	C50R40A	19.33	C5R30T	10.46	C75R30SC	12.95
C40R30TC	10.06	C50R40AC	20.14	C5R30TC	11.07	C75R30T	9.15
C40R40A	19.53	C50R40P	12.80	C5R40A	20.20	C75R30TC	9.76
C40R40AC	20.34	C50R40PC	13.61	C5R40AC	21.01	C75R40A	19.19
C40R40P	13.00	C50R40S	17.07	C5R40P	13.67	C75R40AC	20.00
C40R40PC	13.81	C50R40SC	17.88	C5R40PC	14.48	C75R40P	12.66
C40R40S	17.28	C50R40T	13.26	C5R40S	17.94	C75R40PC	13.47
C40R40SC	18.08	C50R40TC	14.06	C5R40SC	18.75	C75R40S	16.94
C40R40T	13.46	C50R97S	3.71	C5R40T	14.13	C75R40SC	17.75
C40R40TC	14.27	C50W10S	3.65	C5R40TC	14.94	C75R40T	13.12
C50R10A	4.59	C50X20P	10.97	C5R4S	2.39	C75R40TC	13.93
C50R10AC	4.79	C5R10A	4.99	C5R5S	2.19		
C50R10P	2.88	C5R10AC	5.19	C5X93P	8.01		



## NATURAL COTTON

See FSF-602 for additional specifications

Example: FS- **U 10 R 20 A C VP**

FILTER MEDIA	MICRON RETENTION	DIAMETER NOM. (Inches)	LENGTH NOM. (Inches)	CORE MATERIAL	CORE COVER	CORE EXTENDER
U - Natural cotton	.5		4 - 3-7/8	A - 316 Stainless steel	No symbol - None C - Cover compatible with media Z - Special	No symbol - None EP - Polypropylene EPS - One piece polypropylene spring and top seal VP - 316 Stainless steel Z - Special
	1	Q - 2-1/4	5 - 4-7/8			
	3	R - 2-1/2	6 - 5-7/8			
	5	S - 2-3/4	7 - 6-7/8	P - Polypropylene		
	10	T - 2	8 - 7-7/8			
	15	V - 2-1/8	9 - 8-7/8	S - 304 Stainless steel		
	20	W - 2-3/8	92- 9-7/16			
	25	X - 4	93- 9-3/4	T - Tinned steel		
	30	Y - 2-5/8	97- 9-7/8			
	40	Z - Special	10- 10	Z - Special		
	50		12- 12			
	75		19- 19-3/4			
	100		20- 20			
	150		29- 29-3/4			
	200		30- 30			
			40- 40			
		99- Special				

MODEL	LIST PRICE
U.5R10A	4.47
U.5R10P	2.76
U.5R10S	3.61
U.5R10T	2.81
U.5R20A	8.98
U.5R20P	5.79
U.5R20S	7.98
U.5R20T	5.84
U.5R30A	13.37
U.5R30P	8.58
U.5R30S	11.92
U.5R30T	8.73
U.5R40A	17.91
U.5R40P	11.38
U.5R40S	15.66
U.5R40T	11.84
U100R10A	3.86

MODEL	LIST PRICE
U100R10AC	4.06
U100R10P	2.15
U100R10PC	2.35
U100R10S	3.00
U100R10SC	3.21
U100R10T	2.21
U100R10TC	2.41
U100R20A	7.92
U100R20AC	8.33
U100R20P	4.67
U100R20PC	5.08
U100R20S	6.93
U100R20SC	7.33
U100R20T	4.79
U100R20TC	5.19
U100R30A	11.78
U100R30AC	12.39

MODEL	LIST PRICE
U100R30P	6.89
U100R30PC	7.50
U100R30S	10.32
U100R30SC	10.93
U100R30T	7.02
U100R30TC	7.63
U100R40A	16.29
U100R40AC	17.10
U100R40P	9.68
U100R40PC	10.49
U100R40S	14.03
U100R40SC	14.84
U100R40T	10.22
U100R40TC	11.02
U10R10A	4.22
U10R10AC	4.42
U10R10P	2.51

MODEL	LIST PRICE
U10R10PC	2.71
U10R10S	3.36
U10R10SC	3.56
U10R10T	2.56
U10R10TC	2.77
U10R20A	8.46
U10R20AC	8.86
U10R20P	5.21
U10R20PC	5.61
U10R20S	7.46
U10R20SC	7.87
U10R20T	5.32
U10R20TC	5.73
U10R30A	12.45
U10R30AC	13.05
U10R30P	7.56
U10R30PC	8.17

## NATURAL COTTON

MODEL	LIST PRICE
U10R30S	10.99
U10R30SC	11.60
U10R30T	7.69
U10R30TC	8.29
U10R40A	16.98
U10R40AC	17.79
U10R40P	10.37
U10R40PC	11.18
U10R40S	14.72
U10R40SC	15.53
U10R40T	10.91
U10R40TC	11.72
U150R10A	3.81
U150R10AC	4.02
U150R10P	2.10
U150R10PC	2.31
U150R10S	2.96
U150R10SC	3.16
U150R10T	2.16
U150R10TC	2.36
U150R20.25T	5.07
U150R20A	7.86
U150R20AC	8.26
U150R20P	4.60
U150R20PC	5.01
U150R20S	6.86
U150R20SC	7.26
U150R20T	4.72
U150R20TC	5.13
U150R30A	11.71
U150R30AC	12.32
U150R30P	6.83
U150R30PC	7.43
U150R30S	10.26
U150R30SC	10.87
U150R30T	6.95
U150R30TC	7.56
U150R40A	16.20
U150R40AC	17.01
U150R40P	9.59
U150R40PC	10.40

MODEL	LIST PRICE
U150R40S	13.95
U150R40SC	14.75
U150R40T	10.13
U150R40TC	10.94
U150Y93PC	2.25
U15R10A	4.17
U15R10AC	4.37
U15R10P	2.46
U15R10PC	2.66
U15R10S	3.32
U15R10SC	3.52
U15R10T	2.52
U15R10TC	2.72
U15R20A	8.39
U15R20AC	8.80
U15R20P	5.14
U15R20PC	5.54
U15R20S	7.39
U15R20SC	7.80
U15R20T	5.26
U15R20TC	5.66
U15R30A	12.38
U15R30AC	12.99
U15R30P	7.50
U15R30PC	8.10
U15R30S	10.93
U15R30SC	11.53
U15R30T	7.62
U15R30TC	8.23
U15R40A	16.95
U15R40AC	17.76
U15R40P	10.35
U15R40PC	11.16
U15R40S	14.70
U15R40SC	15.51
U15R40T	10.88
U15R40TC	11.69
U1R10A	4.28
U1R10AC	4.48
U1R10P	2.57
U1R10PC	2.77

MODEL	LIST PRICE
U1R10S	3.43
U1R10SC	3.63
U1R10T	2.63
U1R10TC	2.83
U1R20A	8.61
U1R20AC	9.02
U1R20P	5.36
U1R20PC	5.77
U1R20S	7.62
U1R20SC	8.02
U1R20T	5.48
U1R20TC	5.88
U1R29.5S	8.72
U1R30A	12.82
U1R30AC	13.43
U1R30P	7.94
U1R30PC	8.55
U1R30S	11.37
U1R30SC	11.98
U1R30T	8.07
U1R30TC	8.67
U1R40A	17.18
U1R40AC	17.99
U1R40P	10.57
U1R40PC	11.38
U1R40S	14.93
U1R40SC	15.73
U1R40T	11.11
U1R40TC	11.92
U200R10A	3.79
U200R10AC	4.00
U200R10P	2.08
U200R10PC	2.29
U200R10S	2.94
U200R10SC	3.14
U200R10T	2.14
U200R10TC	2.34
U200R20A	7.79
U200R20AC	8.19
U200R20P	4.54
U200R20PC	4.94

MODEL	LIST PRICE
U200R20S	6.79
U200R20SC	7.20
U200R20T	4.65
U200R20TC	5.06
U200R30A	11.67
U200R30AC	12.27
U200R30P	6.78
U200R30PC	7.39
U200R30S	10.21
U200R30SC	10.82
U200R30T	6.91
U200R30TC	7.51
U200R40A	16.06
U200R40AC	16.87
U200R40P	9.46
U200R40PC	10.26
U200R40S	13.81
U200R40SC	14.62
U200R40T	9.99
U200R40TC	10.80
U20R10A	4.08
U20R10AC	4.28
U20R10P	2.37
U20R10PC	2.57
U20R10S	3.23
U20R10SC	3.43
U20R10T	2.43
U20R10TC	2.63
U20R20A	8.12
U20R20AC	8.53
U20R20P	4.87
U20R20PC	5.28
U20R20S	7.13
U20R20SC	7.53
U20R20T	4.99
U20R20TC	5.39
U20R29P	5.42
U20R30A	12.31
U20R30AC	12.92
U20R30P	7.43
U20R30PC	8.04
U20R30S	10.86

## NATURAL COTTON

MODEL	LIST PRICE	MODEL	LIST PRICE	MODEL	LIST PRICE	MODEL	LIST PRICE
U20R30SC	11.47	U25R40PC	11.00	U3R10AC	4.41	U40R20AC	8.38
U20R30T	7.55	U25R40S	14.55	U3R10P	2.50	U40R20P	4.78
U20R30TC	8.16	U25R40SC	15.36	U3R10PC	2.70	U40R20PC	5.19
U20R40A	16.89	U25R40T	10.73	U3R10S	3.36	U40R20S	6.98
U20R40AC	17.70	U25R40TC	11.54	U3R10SC	3.56	U40R20SC	7.38
U20R40P	10.28	U25R97P	1.88	U3R10T	2.56	U40R20T	4.84
U20R40PC	11.09	U30R10A	3.96	U3R10TC	2.76	U40R20TC	5.24
U20R40S	14.64	U30R10AC	4.16	U3R20A	8.45	U40R30A	11.94
U20R40SC	15.45	U30R10P	2.31	U3R20AC	8.85	U40R30AC	12.55
U20R40T	10.82	U30R10PC	2.51	U3R20P	5.26	U40R30P	7.15
U20R40TC	11.63	U30R10S	3.16	U3R20PC	5.66	U40R30PC	7.76
U20S93T	3.08	U30R10SC	3.36	U3R20S	7.45	U40R30S	10.49
U20X20P	8.49	U30R10T	2.36	U3R20SC	7.85	U40R30SC	11.09
U25R10A	4.00	U30R10TC	2.56	U3R20T	5.31	U40R30T	7.29
U25R10AC	4.21	U30R20A	8.08	U3R20TC	5.72	U40R30TC	7.90
U25R10P	2.35	U30R20AC	8.48	U3R30A	12.63	U40R40A	16.41
U25R10PC	2.55	U30R20P	4.83	U3R30AC	13.24	U40R40AC	17.22
U25R10S	3.20	U30R20PC	5.23	U3R30P	7.84	U40R40P	9.91
U25R10SC	3.41	U30R20S	7.08	U3R30PC	8.45	U40R40PC	10.72
U25R10T	2.41	U30R20SC	7.49	U3R30S	11.18	U40R40S	14.16
U25R10TC	2.61	U30R20T	4.94	U3R30SC	11.78	U40R40SC	14.97
U25R20A	8.10	U30R20TC	5.35	U3R30T	7.98	U40R40T	10.34
U25R20AC	8.51	U30R30A	12.11	U3R30TC	8.59	U40R40TC	11.15
U25R20P	4.85	U30R30AC	12.72	U3R40A	16.91	U50R10A	3.93
U25R20PC	5.25	U30R30P	7.23	U3R40AC	17.72	U50R10AC	4.13
U25R20S	7.10	U30R30PC	7.84	U3R40P	10.41	U50R10P	2.22
U25R20SC	7.51	U30R30S	10.66	U3R40PC	11.22	U50R10PC	2.42
U25R20T	4.97	U30R30SC	11.27	U3R40S	14.66	U50R10S	3.08
U25R20TC	5.37	U30R30T	7.35	U3R40SC	15.47	U50R10SC	3.28
U25R30A	12.20	U30R30TC	7.96	U3R40T	10.84	U50R10T	2.28
U25R30AC	12.81	U30R40A	16.75	U3R40TC	11.65	U50R10TC	2.48
U25R30P	7.32	U30R40AC	17.56	U40R10A	3.95	U50R20A	7.95
U25R30PC	7.92	U30R40P	10.15	U40R10AC	4.16	U50R20AC	8.36
U25R30S	10.75	U30R40PC	10.95	U40R10P	2.24	U50R20P	4.76
U25R30SC	11.36	U30R40S	14.50	U40R10PC	2.45	U50R20PC	5.16
U25R30T	7.45	U30R40SC	15.31	U40R10S	3.10	U50R20S	6.95
U25R30TC	7.81	U30R40T	10.68	U40R10SC	3.30	U50R20SC	7.36
U25R40A	16.80	U30R40TC	11.49	U40R10T	2.30	U50R20T	4.82
U25R40AC	17.61	U30X18S	22.40	U40R10TC	2.50	U50R20TC	5.22
U25R40P	10.19	U3R10A	4.21	U40R20A	7.97	U50R30A	11.85

**NATURAL COTTON**

MODEL	LIST PRICE
U50R30AC	12.46
U50R30P	7.06
U50R30PC	7.67
U50R30S	10.40
U50R30SC	11.01
U50R30T	7.21
U50R30TC	7.81
U50R40A	16.28
U50R40AC	17.09
U50R40P	9.78
U50R40PC	10.59
U50R40S	14.03
U50R40SC	14.84
U50R40T	10.21
U50R40TC	11.02
U50R8S	2.85
U5R10A	4.19
U5R10AC	4.39
U5R10P	2.48
U5R10PC	2.68
U5R10S	3.34
U5R10SC	3.54
U5R10T	2.54
U5R10TC	2.74
U5R20A	8.40
U5R20AC	8.81
U5R20P	5.21

MODEL	LIST PRICE
U5R20PC	5.62
U5R20S	7.41
U5R20SC	7.81
U5R20T	5.27
U5R20TC	5.67
U5R30A	12.59
U5R30AC	13.19
U5R30P	7.80
U5R30PC	8.40
U5R30S	11.13
U5R30SC	11.74
U5R30T	7.94
U5R30TC	8.55
U5R40A	16.84
U5R40AC	17.65
U5R40P	10.34
U5R40PC	11.15
U5R40S	14.59
U5R40SC	15.40
U5R40T	10.77
U5R40TC	11.58
U5X18S	23.34
U75R10A	3.89
U75R10AC	4.09
U75R10P	2.18
U75R10PC	2.38
U75R10S	3.03

MODEL	LIST PRICE
U75R10SC	3.24
U75R10T	2.24
U75R10TC	2.44
U75R20A	7.91
U75R20AC	8.31
U75R20P	4.72
U75R20PC	5.12
U75R20S	6.91
U75R20SC	7.32
U75R20T	4.77
U75R20TC	5.18
U75R30A	11.74
U75R30AC	12.35
U75R30P	6.96
U75R30PC	7.56
U75R30S	10.29
U75R30SC	10.90
U75R30T	7.10
U75R30TC	7.71
U75R40A	16.20
U75R40AC	17.01
U75R40P	9.70
U75R40PC	10.51
U75R40S	13.94
U75R40SC	14.75
U75R40T	10.13
U75R40TC	10.94

624 N. Fairfield St. Amarillo, TX. 79107 [www.filterspun.com](http://www.filterspun.com) (800) 432 - 0108 Fax: (806) 383 - 3842


## GLASS FIBER

See FSF-603 for additional specifications

Example: FS-

<b>G</b>	<b>10</b>	<b>R</b>	<b>20</b>	<b>A</b>	<b>C</b>	<b>VP</b>
----------	-----------	----------	-----------	----------	----------	-----------

FILTER MEDIA MICRON	RETENTION DIAMETER	NOM. (Inches) LENGTH	NOM. (Inches) CORE	MATERIAL CORE	COVER CORE	EXTENDER
G - Glass fiber	1	Q - 2-1/4	4 - 3-7/8	A - 316 Stainless steel	No symbol - None	No symbol - None
	3	R - 2-1/2	5 - 4-7/8			
	5	S - 2-3/4	6 - 5-7/8			
	10	T - 2	7 - 6-7/8	KL - PVDF	C - Cover compatible with media	EP - Polypropylene
	15	V - 2-1/8	8 - 7-7/8			
	20	W - 2-3/8	9 - 8-7/8	P - Polypropylene	Z - Special	EPS - One piece polypropylene spring and top seal
	25	X - 4	92- 9-7/16			
	30	Y - 2-5/8	93- 9-3/4	S - 304 Stainless steel		VP - 316 Stainless steel
	40	Z - Special	97- 9-7/8			
	50		10- 10	T - Tinned steel		Z - Special
	75		12- 12			
	100		19- 19-3/4	Z - Special		
			20- 20			
		29- 29-3/4				
		30- 30				
		40- 40				
		99- Special				

MODEL	LIST PRICE	MODEL	LIST PRICE	MODEL	LIST PRICE	MODEL	LIST PRICE
G100R10AC	6.44	G100R40TC	21.49	G10R40SC	26.29	G15R40PC	21.93
G100R10PC	4.73	G10R10AC	6.88	G10R40TC	22.47	G15R40SC	26.20
G100R10SC	5.58	G10R10PC	5.17	G15R10AC	6.84	G15R40TC	22.38
G100R10TC	4.78	G10R10SC	6.03	G15R10PC	5.13	G1Q3.75SC	2.94
G100R20AC	13.88	G10R10TC	5.23	G15R10SC	5.98	G1R10AC	7.11
G100R20PC	10.69	G10R20AC	14.60	G15R10TC	5.19	G1R10PC	5.40
G100R20SC	12.89	G10R20PC	11.41	G15R20AC	14.51	G1R10SC	6.25
G100R20TC	10.75	G10R20SC	13.60	G15R20PC	11.32	G1R10TC	5.45
G100R30AC	19.96	G10R20TC	11.46	G15R20SC	13.51	G1R20AC	15.76
G100R30PC	15.17	G10R30AC	20.99	G15R20TC	11.38	G1R20PC	12.57
G100R30SC	18.51	G10R30PC	16.20	G15R30AC	20.85	G1R20SC	14.76
G100R30TC	15.20	G10R30SC	19.53	G15R30PC	16.07	G1R20TC	12.63
G100R40AC	27.56	G10R30TC	16.23	G15R30SC	19.40	G1R30AC	21.35
G100R40PC	21.03	G10R40AC	28.54	G15R30TC	16.09	G1R30PC	16.56
G100R40SC	25.31	G10R40PC	22.02	G15R40AC	28.45	G1R30SC	19.89

## GLASS FIBER

MODEL	LIST PRICE	MODEL	LIST PRICE	MODEL	LIST PRICE	MODEL	LIST PRICE
G1R30TC	16.59	G25R40PC	21.66	G3R40SC	26.47	G5R10AC	6.97
G1R40AC	28.86	G25R40SC	25.93	G3R40TC	22.65	G5R10PC	5.26
G1R40PC	22.33	G25R40TC	22.12	G40R10AC	6.71	G5R10SC	6.12
G1R40SC	26.61	G30R10AC	6.75	G40R10PC	5.00	G5R10TC	5.32
G1R40TC	22.79	G30R10PC	5.04	G40R10SC	5.85	G5R20AC	14.73
G20R10AC	6.79	G30R10SC	5.89	G40R10TC	5.05	G5R20PC	11.54
G20R10PC	5.08	G30R10TC	5.10	G40R20AC	14.15	G5R20SC	13.74
G20R10SC	5.94	G30R20AC	14.24	G40R20PC	10.96	G5R20TC	11.60
G20R10TC	5.14	G30R20PC	11.05	G40R20SC	13.15	G5R30AC	21.08
G20R20AC	14.38	G30R20SC	13.24	G40R20TC	11.02	G5R30PC	16.29
G20R20PC	11.18	G30R20TC	11.11	G40R30AC	20.41	G5R30SC	19.62
G20R20SC	13.38	G30R30AC	20.54	G40R30PC	15.62	G5R30TC	16.32
G20R20TC	11.24	G30R30PC	15.75	G40R30SC	18.95	G5R40AC	28.63
G20R30AC	20.76	G30R30SC	19.09	G40R30TC	15.65	G5R40PC	22.11
G20R30PC	15.98	G30R30TC	15.78	G40R40AC	28.01	G5R40SC	26.38
G20R30SC	19.31	G30R40AC	28.10	G40R40PC	21.48	G5R40TC	22.56
G20R30TC	16.00	G30R40PC	21.57	G40R40SC	25.76	G75R10AC	6.44
G20R40AC	28.28	G30R40SC	25.85	G40R40TC	21.94	G75R10PC	4.73
G20R40PC	21.75	G30R40TC	22.03	G50R10AC	6.66	G75R10SC	5.58
G20R40SC	26.02	G3R10AC	7.02	G50R10PC	4.95	G75R10TC	4.78
G20R40TC	22.21	G3R10PC	5.31	G50R10SC	5.81	G75R20AC	13.97
G25R10AC	6.75	G3R10SC	6.16	G50R10TC	5.01	G75R20PC	10.78
G25R10PC	5.04	G3R10TC	5.37	G50R20AC	14.11	G75R20SC	12.98
G25R10SC	5.89	G3R20AC	15.27	G50R20PC	10.92	G75R20TC	10.84
G25R10TC	5.10	G3R20PC	12.08	G50R20SC	13.11	G75R30AC	20.09
G25R20AC	14.29	G3R20SC	14.27	G50R20TC	10.97	G75R30PC	15.31
G25R20PC	11.09	G3R20SC-EG	11.26	G50R30AC	20.23	G75R30SC	18.64
G25R20SC	13.29	G3R20TC	12.14	G50R30PC	15.44	G75R30TC	15.33
G25R20TC	11.15	G3R30AC	21.21	G50R30SC	18.77	G75R40AC	27.74
G25R30AC	20.67	G3R30PC	16.42	G50R30TC	15.47	G75R40PC	21.21
G25R30PC	15.89	G3R30SC	19.76	G50R40AC	27.87	G75R40SC	25.49
G25R30SC	19.22	G3R30TC	16.45	G50R40PC	21.35	G75R40TC	21.67
G25R30TC	15.92	G3R40AC	28.72	G50R40SC	25.62		
G25R40AC	28.19	G3R40PC	22.20	G50R40TC	21.80		

624 N. Fairfield St. Amarillo, TX. 79107 [www.filterspun.com](http://www.filterspun.com) (800) 432 - 0108 Fax: (806) 383 - 3842


## HIGH PERFORMANCE

See FSF-617 for additional specifications

Example: FS-

<b>H</b>	<b>25</b>	<b>R</b>	<b>20</b>	<b>A</b>		<b>VP</b>
----------	-----------	----------	-----------	----------	--	-----------

FILTER MEDIA	MICRON RETENTION	DIAMETER NOM. (Inches)	LENGTH NOM. (Inches)	CORE MATERIAL	CORE COVER	CORE EXTENDER
H - Hi Perf	1	<b>Q</b> - 2-1/4	4 - 3-7/8	<b>A</b> - 316 Stainless steel	No symbol - None	No symbol - None
	3	<b>R</b> - 2-1/2	5 - 4-7/8			<b>EP</b> - Polypropylene
	5	<b>S</b> - 2-3/4	6 - 5-7/8			<b>EPS</b> - One piece polypropylene spring and top seal
	10	<b>T</b> - 2	7 - 6-7/8	<b>KL</b> - PVDF		
	15	<b>V</b> - 2-1/8	8 - 7-7/8	<b>P</b> - Polypropylene		
	20	<b>W</b> - 2-3/8	9 - 8-7/8	<b>S</b> - 304 Stainless steel		
	25	<b>Y</b> - 2-5/8	92- 9-7/16	<b>T</b> - Tinned steel	<b>VP</b> - 316 Stainless steel	
	30	<b>X</b> - 4	93- 9-3/4	<b>Z</b> - Special	<b>Z</b> - Special	
	40	<b>Z</b> - Special	97- 9-7/8			
	50		10- 10			
	75		12- 12			
	100		19- 19-3/4			
			20- 20			
		29- 29-3/4				
		30- 30				
		40- 40				
		99- Special				

MODEL	LIST PRICE
H100R10A	7.50
H100R10P	5.79
H100R10S	6.64
H100R10T	5.84
H100R15P	8.58
H100R20A	15.11
H100R20P	11.91
H100R20S	14.11
H100R20T	11.97
H100R30A	21.26
H100R30P	16.47
H100R30S	19.80
H100R30T	16.61
H100R40A	30.14
H100R40P	23.61
H100R40S	27.89
H100R40T	24.07

MODEL	LIST PRICE
H10R10A	8.45
H10R10P	6.74
H10R10S	7.59
H10R10T	6.80
H10R20A	16.49
H10R20P	13.30
H10R20S	15.49
H10R20T	13.35
H10R30A	22.21
H10R30P	17.42
H10R30S	20.75
H10R30T	17.56
H10R40A	31.35
H10R40P	24.82
H10R40S	29.10
H10R40T	25.28
H15R10A	8.28

MODEL	LIST PRICE
H15R10P	6.57
H15R10S	7.42
H15R10T	6.62
H15R20A	16.40
H15R20P	13.21
H15R20S	15.40
H15R20T	13.27
H15R30A	21.95
H15R30P	17.16
H15R30S	20.49
H15R30T	17.30
H15R40A	31.26
H15R40P	24.73
H15R40S	29.01
H15R40T	25.19
H1R10A	8.79
H1R10P	7.08

MODEL	LIST PRICE
H1R10S	7.94
H1R10T	7.14
H1R20A	17.18
H1R20P	13.99
H1R20S	16.18
H1R20T	14.04
H1R30A	23.16
H1R30P	18.37
H1R30S	21.70
H1R30T	18.51
H1R40A	31.78
H1R40P	25.25
H1R40S	29.53
H1R40T	25.71
H20R10A	8.19
H20R10P	6.48
H20R10S	7.33

## HIGH PERFORMANCE

MODEL	LIST PRICE	MODEL	LIST PRICE	MODEL	LIST PRICE	MODEL	LIST PRICE
H20R10T	6.54	H30R10T	6.36	H40R10T	6.19	H5R10T	6.97
H20R20A	16.23	H30R20A	16.14	H40R20A	16.06	H5R20A	16.57
H20R20P	13.04	H30R20P	12.95	H40R20P	12.86	H5R20P	13.38
H20R20S	15.23	H30R20S	15.14	H40R20S	15.23	H5R20S	15.58
H20R20T	13.09	H30R20T	13.01	H40R20T	12.92	H5R20T	13.44
H20R30A	21.77	H30R30A	21.86	H40R30A	21.77	H5R30A	22.81
H20R30P	16.99	H30R30P	17.07	H40R30P	16.99	H5R30P	18.02
H20R30S	20.32	H30R30S	20.41	H40R30S	20.32	H5R30S	21.36
H20R30T	17.13	H30R30T	17.21	H40R30T	17.13	H5R30T	18.17
H20R40A	31.00	H30R40A	30.74	H40R40A	30.91	H5R40A	31.43
H20R40P	24.47	H30R40P	24.22	H40R40P	24.39	H5R40P	24.91
H20R40S	28.75	H30R40S	28.49	H40R40S	28.66	H5R40S	29.18
H20R40T	24.93	H30R40T	24.67	H40R40T	24.84	H5R40T	25.36
H25R10A	8.10	H3R10A	8.71	H50R10A	7.76	H75R10A	7.58
H25R10P	6.39	H3R10P	7.00	H50R10P	6.05	H75R10P	5.87
H25R10S	7.25	H3R10S	7.85	H50R10S	6.90	H75R10S	6.73
H25R10T	6.45	H3R10T	7.05	H50R10T	6.10	H75R10T	5.93
H25R20A	16.14	H3R20A	17.01	H50R20A	15.88	H75R20A	15.62
H25R20P	12.95	H3R20P	13.81	H50R20P	12.69	H75R20P	12.43
H25R20S	15.14	H3R20S	16.01	H50R20S	14.89	H75R20S	14.63
H25R20T	13.01	H3R20T	13.87	H50R20T	12.75	H75R20T	12.49
H25R30A	21.86	H3R30A	22.98	H50R30A	21.69	H75R30A	21.43
H25R30P	17.07	H3R30P	18.20	H50R30P	16.90	H75R30P	16.64
H25R30S	20.41	H3R30S	21.53	H50R30S	20.23	H75R30S	19.97
H25R30T	17.21	H3R30T	18.34	H50R30T	17.04	H75R30T	16.78
H25R40A	30.83	H3R40A	31.61	H50R40A	31.17	H75R40A	30.66
H25R40P	24.30	H3R40P	25.08	H50R40P	24.65	H75R40P	24.13
H25R40S	28.58	H3R40S	29.35	H50R40S	28.92	H75R40S	28.40
H25R40T	24.76	H3R40T	25.54	H50R40T	25.10	H75R40T	24.58
H30R10A	8.02	H40R10A	7.84	H5R10A	8.62		
H30R10P	6.31	H40R10P	6.13	H5R10P	6.91		
H30R10S	7.16	H40R10S	6.99	H5R10S	7.77		

624 N. Fairfield St. Amarillo, TX. 79107 [www.filterspun.com](http://www.filterspun.com) (800) 432 - 0108 Fax: (806) 383 - 3842


## MELT BLOWN POLYPROPYLENE

See FSF-619 for additional specifications

EXAMPLE: FS- 

P-MB	10	20
------	----	----

FILTER MEDIA	MICRON RETENTION	LENGTH NOM. (Inches)	
Melt-blown polypropylene	1	9 - (8-7/8)	
	3	93 - (9-3/4)*	
	5	97 - (9-7/8)	
	10	10 - (10)*	
	20	19 - (19-3/4)	
	30	20 - (20)*	
	50	29 - (29-3/4)	
	75	30 - (30)	
			40 - (40)

MODEL	LIST PRICE
P-MB10-10	2.62
P-MB10-20	5.13
P-MB10-30	7.61
P-MB10-93	2.57
P-MB1-10	3.02
P-MB1-20	5.24
P-MB1-30	8.41
P-MB1-40EG	10.63
P-MB1-93	2.88
P-MB20-10	2.31

MODEL	LIST PRICE
P-MB20-19.5	4.96
P-MB20-20	4.96
P-MB20-93	2.31
P-MB50-10	3.22
P-MB50-20	4.67
P-MB50-93	2.79
P-MB5-10	2.85
P-MB5-20	5.16
P-MB5-30	8.15
P-MB5-40	10.60

624 N. Fairfield St. Amarillo, TX. 79107 [www.filterspun.com](http://www.filterspun.com) (800) 432 - 0108 Fax: (806) 383 - 3842


## NYLON

See FSF-606 for additional specifications

Example: FS- **N** **20** **R** **30** **A** **C** **VP**

FILTER MEDIA	MICRON RETENTION	DIAMETER NOM. (Inches)	LENGTH NOM. (Inches)	CORE MATERIAL	CORE COVER	CORE EXTENDER
N - Nylon	1	Q - 2-1/4	4 - 3-7/8	A - 316 Stainless steel	No symbol - None	No symbol - None
	3		5 - 4-7/8			
	5	R - 2-1/2	6 - 5-7/8			
	10	S - 2-3/4	7 - 6-7/8			
	15	T - 2	8 - 7-7/8			
	20	V - 2-1/8	9 - 8-7/8	P - Polypropylene	C - Cover compatible with media	EP - Polypropylene
	25		92- 9-7/16			
	30	93- 9-3/4	S - 304 Stainless steel	Z - Special	Z - Special	
	40	97- 9-7/8				
	50	10- 10	T - Tinned steel	Z - Special		
	75	12- 12				
	100	19- 19-3/4	Z - Special	Z - Special		
	150	20- 20				
	200	X - 4	29- 29-3/4	Z - Special		
		Z - Special	30- 30			
		40- 40				
		99- Special				

MODEL	LIST PRICE
N.5R10A	6.84
N.5R10P	5.13
N.5R10S	5.98
N.5R10T	5.18
N.5R20A	13.46
N.5R20P	10.21
N.5R20S	12.47
N.5R20T	10.33
N.5R30A	20.80
N.5R30P	15.92
N.5R30S	19.35
N.5R30T	16.04
N.5R40A	27.15
N.5R40P	20.54
N.5R40S	24.90
N.5R40T	21.08
N100R10A	5.94
N100R10P	4.23
N100R10S	5.09
N100R10T	4.29

MODEL	LIST PRICE
N100R20A	12.80
N100R20P	9.55
N100R20S	11.81
N100R20T	9.67
N100R30A	18.90
N100R30P	14.02
N100R30S	17.45
N100R30T	14.14
N100R40A	24.75
N100R40P	18.14
N100R40S	21.07
N100R40T	18.68
N10R10A	6.38
N10R10P	4.67
N10R10S	5.53
N10R10T	4.73
N10R20A	13.34
N10R20P	10.09
N10R20S	12.35
N10R20T	10.21

MODEL	LIST PRICE
N10R30A	19.94
N10R30P	15.05
N10R30S	18.48
N10R30T	15.18
N10R40A	26.08
N10R40P	19.47
N10R40S	23.82
N10R40T	20.00
N150R10A	5.89
N150R10P	4.18
N150R10S	5.04
N150R10T	4.24
N150R20A	12.71
N150R20P	9.45
N150R20S	11.71
N150R20T	9.57
N150R30A	18.76
N150R30P	13.87
N150R30S	17.30
N150R30T	14.00

MODEL	LIST PRICE
N150R40A	24.55
N150R40P	17.94
N150R40S	22.30
N150R40T	18.48
N15R10A	6.34
N15R10P	4.63
N15R10S	5.48
N15R10T	4.68
N15R20A	13.30
N15R20P	10.04
N15R20S	12.30
N15R20T	10.16
N15R30A	19.89
N15R30P	15.00
N15R30S	18.43
N15R30T	15.13
N15R40A	26.03
N15R40P	19.42
N15R40S	23.77
N15R40T	19.96

## NYLON

MODEL	LIST PRICE	MODEL	LIST PRICE	MODEL	LIST PRICE	MODEL	LIST PRICE
N1R10A	6.63	N20R30A	19.49	N3R10A	6.58	N50R30A	19.20
N1R10P	4.92	N20R30P	14.61	N3R10P	4.87	N50R30P	14.31
N1R10S	5.78	N20R30S	18.04	N3R10S	5.73	N50R30S	17.74
N1R10T	4.98	N20R30T	14.73	N3R10T	4.93	N50R30T	14.44
N1R20A	13.05	N20R40A	25.24	N3R20A	13.54	N50R40A	24.99
N1R20P	9.80	N20R40P	18.63	N3R20P	10.29	N50R40P	18.39
N1R20S	12.05	N20R40S	22.99	N3R20S	12.54	N50R40S	22.74
N1R20T	9.91	N20R40T	19.17	N3R20T	10.41	N50R40T	18.92
N1R30A	20.18	N25R10A	6.29	N3R30A	20.13	N5R10A	6.58
N1R30P	15.30	N25R10P	4.58	N3R30P	15.25	N5R10P	4.87
N1R30S	18.73	N25R10S	5.43	N3R30S	18.68	N5R10S	5.73
N1R30T	15.42	N25R10T	4.63	N3R30T	15.37	N5R10T	4.93
N1R40A	26.32	N25R20A	13.20	N3R40A	26.27	N5R20A	13.39
N1R40P	19.71	N25R20P	9.95	N3R40P	19.66	N5R20P	10.14
N1R40S	24.07	N25R20S	12.20	N3R40S	24.02	N5R20S	12.40
N1R40T	20.25	N25R20T	10.06	N3R40T	20.20	N5R20T	10.26
N200R10A	5.79	N25R30A	19.44	N40R10A	6.14	N5R30A	19.98
N200R10P	4.08	N25R30P	14.56	N40R10P	4.43	N5R30P	15.10
N200R10S	4.94	N25R30S	17.99	N40R10S	5.28	N5R30S	18.53
N200R10T	4.14	N25R30T	14.68	N40R10T	4.49	N5R30T	15.22
N200R20A	12.61	N25R40A	25.19	N40R20A	13.00	N5R40A	26.12
N200R20P	9.36	N25R40P	18.58	N40R20P	9.75	N5R40P	19.52
N200R20S	11.61	N25R40S	22.94	N40R20S	12.00	N5R40S	23.87
N200R20T	9.47	N25R40T	19.12	N40R20T	9.87	N5R40T	20.05
N200R30A	18.61	N30R10A	6.19	N40R30A	19.30	N75R10A	5.99
N200R30P	13.72	N30R10P	4.48	N40R30P	14.41	N75R10P	4.28
N200R30S	17.15	N30R10S	5.33	N40R30S	17.84	N75R10S	5.14
N200R30T	13.85	N30R10T	4.53	N40R30T	14.54	N75R10T	4.34
N200R40A	24.31	N30R20A	13.05	N40R40A	25.04	N75R20A	12.95
N200R40P	17.70	N30R20P	9.80	N40R40P	18.43	N75R20P	9.70
N200R40S	22.05	N30R20S	12.05	N40R40S	22.79	N75R20S	11.95
N200R40T	18.23	N30R20T	9.91	N40R40T	18.97	N75R20T	9.82
N20R10A	6.29	N30R30A	19.35	N50R10A	6.09	N75R30A	19.05
N20R10P	4.58	N30R30P	14.46	N50R10P	4.38	N75R30P	14.17
N20R10S	5.43	N30R30S	17.89	N50R10S	5.23	N75R30S	17.60
N20R10T	4.63	N30R30T	14.59	N50R10T	4.44	N75R30T	14.29
N20R20A	13.25	N30R40A	25.09	N50R20A	13.00	N75R40A	24.85
N20R20P	9.99	N30R40P	18.48	N50R20P	9.75	N75R40P	18.24
N20R20S	12.25	N30R40S	22.84	N50R20S	12.00	N75R40S	22.59
N20R20T	10.11	N30R40T	19.02	N50R20T	9.87	N75R40T	18.78

624 N. Fairfield St. Amarillo, TX. 79107 [www.filterspun.com](http://www.filterspun.com) (800) 432 - 0108 Fax: (806) 383 - 3842


## POLYESTER

See FSF-604 for additional specifications

Example:

FS-

<b>K</b>	<b>10</b>	<b>R</b>	<b>30</b>	<b>A</b>	<b>C</b>	<b>EP</b>
----------	-----------	----------	-----------	----------	----------	-----------

FILTER MEDIA	MICRON RETENTION	DIAMETER NOM. (Inches)	LENGTH NOM. (Inches)	CORE MATERIAL	CORE COVER	CORE EXTENDER
K - Polyester (Dacron®)	1		4 - 3-7/8	A - 316 Stainless steel	No symbol - None	No symbol - None
	3	Q - 2-1/4	5 - 4-7/8			
	5	R - 2-1/2	6 - 5-7/8			
	10	S - 2-3/4	7 - 6-7/8			
	15	T - 2	8 - 7-7/8			
	20	V - 2-1/8	9 - 8-7/8	P - Polypropylene	C - Cover compatible with media	EP - Polypropylene
	25	W - 2-3/8	92- 9-7/16			
	30	X - 4	93- 9-3/4			
	40	Z - Special	97- 9-7/8			
	50		10- 10			
	75		12- 12	S - 304 Stainless steel	T - Tinned steel	EPS - One piece polypropylene spring and top seal
	100		19- 19-3/4			
	150		20- 20			
	200		29- 29-3/4			
			30- 30			
		40- 40	T - Tinned steel	Z - Special	VP - 316 Stainless steel	
		99- Special				
				Z - Special	Z - Special	

©Dacron is a registered trademark of DuPont.

MODEL	LIST PRICE
K.5R10A	5.37
K.5R10P	3.66
K.5R10S	4.51
K.5R10T	3.72
K.5R20A	10.57
K.5R20P	7.38
K.5R20S	9.57
K.5R20T	7.41
K.5R30A	15.53
K.5R30P	10.74
K.5R30S	14.08
K.5R30T	10.77
K.5R40A	20.69
K.5R40P	14.16
K.5R40S	18.44
K.5R40T	14.62
K100R10A	4.79
K100R10P	3.08
K100R10S	3.93
K100R10T	3.14

MODEL	LIST PRICE
K100R20A	9.73
K100R20P	6.54
K100R20S	8.73
K100R20T	6.59
K100R30A	14.22
K100R30P	9.43
K100R30S	12.77
K100R30T	9.46
K100R40A	19.01
K100R40P	12.49
K100R40S	16.76
K100R40T	12.94
K10R10P	3.32
K10R20P	6.83
K10R30P	9.99
K10R40P	13.20
K150R10P	3.05
K150R20P	6.48
K150R30P	9.35
K150R40P	12.38

MODEL	LIST PRICE
K15R10A	5.00
K15R10P	3.29
K15R10S	4.15
K15R10T	3.35
K15R20A	9.99
K15R20P	6.80
K15R20S	9.00
K15R20T	6.86
K15R30A	14.75
K15R30P	9.96
K15R30S	13.30
K15R30T	9.99
K15R40A	19.70
K15R40P	13.18
K15R40S	17.45
K15R40T	13.63
K1R10A	5.16
K1R10P	3.45
K1R10S	4.31
K1R10T	3.51

MODEL	LIST PRICE
K1R20A	10.15
K1R20P	6.96
K1R20S	9.16
K1R20T	7.02
K1R30A	14.91
K1R30P	10.12
K1R30S	13.46
K1R30T	10.15
K1R40A	19.86
K1R40P	13.34
K1R40S	17.61
K1R40T	13.79
K200R10A	4.71
K200R10P	3.00
K200R10S	3.86
K200R10T	3.06
K200R20A	9.62
K200R20P	6.43
K200R20S	8.63
K200R20T	6.49

## POLYESTER

MODEL	LIST PRICE	MODEL	LIST PRICE	MODEL	LIST PRICE	MODEL	LIST PRICE
K200R30A	14.06	K25R30T	9.75	K3R40S	17.58	K5R10P	3.35
K200R30P	9.27	K25R40A	19.25	K3R40T	13.77	K5R10S	4.20
K200R30S	12.61	K25R40P	12.73	K40R10A	4.90	K5R10T	3.40
K200R30T	9.30	K25R40S	17.00	K40R10P	3.19	K5R20A	10.05
K200R40A	18.77	K25R40T	13.18	K40R10S	4.04	K5R20P	6.80
K200R40P	12.25	K30R10A	4.95	K40R10T	3.24	K5R20S	9.05
K200R40S	16.52	K30R10P	3.24	K40R20A	9.84	K5R20T	6.91
K200R40T	12.70	K30R10S	4.09	K40R20P	6.58	K5R30A	14.81
K20R10A	4.98	K30R10T	3.30	K40R20S	8.84	K5R30P	9.92
K20R10P	3.27	K30R20A	9.89	K40R20T	6.70	K5R30S	13.35
K20R10S	4.12	K30R20P	6.70	K40R30A	14.43	K5R30T	10.05
K20R10T	3.32	K30R20S	8.89	K40R30P	9.55	K5R40A	19.76
K20R20A	9.97	K30R20T	6.75	K40R30S	12.98	K5R40P	13.15
K20R20P	6.78	K30R30A	14.46	K40R30T	9.67	K5R40S	17.50
K20R20S	8.97	K30R30P	9.67	K40R40A	19.17	K5R40T	13.69
K20R20T	6.83	K30R30S	13.01	K40R40P	12.56	K75R10A	4.82
K20R30A	14.54	K30R30T	9.70	K40R40S	16.92	K75R10P	3.11
K20R30P	9.75	K30R40A	19.20	K40R40T	13.10	K75R10S	3.96
K20R30S	13.09	K30R40P	12.67	K50R10A	4.87	K75R10T	3.16
K20R30T	9.78	K30R40S	16.95	K50R10P	3.16	K75R20A	9.81
K20R40A	19.41	K30R40T	13.13	K50R10S	4.01	K75R20P	6.56
K20R40P	12.88	K3R10A	5.13	K50R10T	3.22	K75R20S	8.81
K20R40S	17.16	K3R10P	3.42	K50R20A	9.84	K75R20T	6.67
K20R40T	13.34	K3R10S	4.28	K50R20P	6.58	K75R30A	14.30
K25R10A	4.98	K3R10T	3.48	K50R20S	8.84	K75R30P	9.42
K25R10P	3.27	K3R20A	10.13	K50R20T	6.70	K75R30S	12.85
K25R10S	4.12	K3R20P	6.94	K50R30A	14.38	K75R30T	9.54
K25R10T	3.32	K3R20S	9.13	K50R30P	9.50	K75R40A	19.07
K25R20A	9.94	K3R20T	6.99	K50R30S	12.93	K75R40P	12.46
K25R20P	6.75	K3R30A	14.89	K50R30T	9.62	K75R40S	16.81
K25R20S	8.94	K3R30P	10.10	K50R40A	19.15	K75R40T	13.00
K25R20T	6.81	K3R30S	13.43	K50R40P	12.54		
K25R30A	14.51	K3R30T	10.13	K50R40S	16.89		
K25R30P	9.73	K3R40A	19.84	K50R40T	13.08		
K25R30S	13.06	K3R40P	13.31	K5R10A	5.06		

624 N. Fairfield St. Amarillo, TX. 79107 [www.filterspun.com](http://www.filterspun.com) (800) 432 - 0108 Fax: (806) 383 - 3842


## FIBRILLATED POLYPROPYLENE

See FSF-608 for additional specifications

**Example:** FS- **PFR** **10** **R** **20** **P** **C** **EP**

FILTER MEDIA MICRON	RETENTION DIAMETER	NOM. (Inches) LENGTH	NOM. (Inches) CORE	MATERIAL CORE	COVER CORE	EXTENDER
<b>PFR</b> - Fibrillated Polypro <sup>1,2</sup>  <sup>1</sup> Meets FDA regulations for potable water <sup>2</sup> Free of "sizing" and yarn "finish" substances	1		4 - 3-7/8	<b>A</b> - 316 Stainless steel  <b>P</b> - Polypropylene  <b>S</b> - 304 Stainless steel  <b>T</b> - Tinned steel  <b>Z</b> - Special	No symbol - None	No symbol - None
	3	<b>Q</b> - 2-1/4	5 - 4-7/8			No symbol - None
	5	<b>R</b> - 2-1/2	6 - 5-7/8			<b>EP</b> - Polypropylene
	10	<b>S</b> - 2-3/4	7 - 6-7/8			<b>EPS</b> - One piece polypropylene spring and top seal
	15	<b>T</b> - 2	8 - 7-7/8			<b>VP</b> - 316 Stainless steel
	20	<b>V</b> - 2-1/8	9 - 8-7/8			<b>Z</b> - Special
	25	<b>W</b> - 2-3/8	92- 9-7/16			
	30	<b>Y</b> - 2-5/8	93- 9-3/4			
	40	<b>X</b> - 4	97- 9-7/8			
	50	<b>Z</b> - Special	10- 10			
	75		12- 12			
	100		19- 19-3/4			
	150		20- 20			
	200		29- 29-3/4			

©Orlon is a registered trademark of DuPont.

MODEL	LIST PRICE	MODEL	LIST PRICE	MODEL	LIST PRICE	MODEL	LIST PRICE
PFR.5R10P	3.73	PFR10R10A	5.25	PFR150R10S	3.85	PFR15R20P	6.66
PFR100R10A	4.80	PFR10R10P	3.54	PFR150R10T	3.05	PFR15R20S	8.86
PFR100R10P	3.09	PFR10R10S	4.39	PFR150R20A	9.47	PFR15R20T	6.72
PFR100R10S	3.94	PFR10R10T	3.59	PFR150R20P	6.28	PFR15R30A	14.67
PFR100R10T	3.15	PFR10R20A	9.89	PFR150R20S	8.47	PFR15R30P	9.89
PFR100R20A	9.53	PFR10R20P	6.69	PFR150R20T	6.33	PFR15R30S	13.22
PFR100R20P	6.34	PFR10R20S	8.89	PFR150R30A	13.97	PFR15R30T	10.03
PFR100R20S	8.54	PFR10R20T	6.75	PFR150R30P	9.18	PFR15R40A	19.92
PFR100R20T	6.40	PFR10R30A	14.77	PFR150R30S	12.52	PFR15R40P	13.40
PFR100R30A	14.03	PFR10R30P	9.98	PFR150R30T	9.32	PFR15R40S	17.67
PFR100R30P	9.25	PFR10R30PC	8.46	PFR150R40A	18.83	PFR15R40T	13.85
PFR100R30S	12.58	PFR10R30S	13.32	PFR150R40P	12.31	PFR1R10A	5.44
PFR100R30T	9.39	PFR10R30T	10.13	PFR150R40S	16.58	PFR1R10P	3.73
PFR100R40A	18.93	PFR10R40A	19.99	PFR150R40T	12.76	PFR1R10S	4.58
PFR100R40P	12.40	PFR10R40P	13.46	PFR15R10A	5.22	PFR1R10T	3.79
PFR100R40S	16.68	PFR10R40S	17.74	PFR15R10P	3.51	PFR1R20A	10.14
PFR100R40T	12.86	PFR10R40T	13.92	PFR15R10PC	3.05	PFR1R20P	6.95
PFR100X93P	7.38	PFR150R10A	4.70	PFR15R10S	4.36	PFR1R20S	9.15
PFR100X97P	4.59	PFR150R10P	2.99	PFR15R20A	9.85	PFR1R20T	7.01

## FIBRILLATED POLYPROPYLENE

MODEL	LIST PRICE	MODEL	LIST PRICE	MODEL	LIST PRICE	MODEL	LIST PRICE
PFR1R30A	15.03	PFR25R30P	9.76	PFR3R40A	20.08	PFR5R10P	3.60
PFR1R30P	10.24	PFR25R30S	13.09	PFR3R40P	13.56	PFR5R10S	4.46
PFR1R30S	13.57	PFR25R30T	9.90	PFR3R40S	17.83	PFR5R10T	3.66
PFR1R30T	10.38	PFR25R40A	19.67	PFR3R40T	14.01	PFR5R20A	9.98
PFR1R40A	20.18	PFR25R40P	13.14	PFR40R10A	5.05	PFR5R20P	6.79
PFR1R40P	13.65	PFR25R40S	17.42	PFR40R10P	3.34	PFR5R20S	8.99
PFR1R40S	17.93	PFR25R40T	13.60	PFR40R10S	4.20	PFR5R20T	6.85
PFR1R40T	14.11	PFR25X93P	5.07	PFR40R10T	3.40	PFR5R30A	14.84
PFR200R10P	2.62	PFR25X97P	5.13	PFR40R20A	9.60	PFR5R30P	10.05
PFR200R20P	5.59	PFR30R10A	5.12	PFR40R20P	6.41	PFR5R30S	13.38
PFR200R30P	8.21	PFR30R10P	3.41	PFR40R20S	8.60	PFR5R30T	10.19
PFR200R40P	11.02	PFR30R10S	4.26	PFR40R20T	6.46	PFR5R40A	20.05
PFR20R10A	5.18	PFR30R10T	3.47	PFR40R30A	14.35	PFR5R40P	13.53
PFR20R10P	3.47	PFR30R20A	9.73	PFR40R30P	9.57	PFR5R40S	17.80
PFR20R10S	4.33	PFR30R20P	6.53	PFR40R30S	12.90	PFR5R40T	13.98
PFR20R10T	3.53	PFR30R20S	8.73	PFR40R30T	9.71	PFR5R4P	1.51
PFR20R20A	9.79	PFR30R20T	6.59	PFR40R40A	19.54	PFR75Q29.25P	7.07
PFR20R20P	6.60	PFR30R30A	14.45	PFR40R40P	13.01	PFR75Q29.25PC	6.95
PFR20R20S	8.79	PFR30R30P	9.66	PFR40R40S	17.29	PFR75Q39.25P	9.98
PFR20R20T	6.66	PFR30R30S	13.00	PFR40R40T	13.47	PFR75Q39.25PC	9.23
PFR20R30A	14.61	PFR30R30T	9.80	PFR50R10A	4.99	PFR75R10A	4.93
PFR20R30P	9.82	PFR30R40A	19.60	PFR50R10P	3.28	PFR75R10P	3.22
PFR20R30PC	8.35	PFR30R40P	13.08	PFR50R10S	4.14	PFR75R10S	4.07
PFR20R30S	13.16	PFR30R40S	17.35	PFR50R10T	3.34	PFR75R10T	3.27
PFR20R30T	9.97	PFR30R40T	13.53	PFR50R20A	9.66	PFR75R20A	9.63
PFR20R40A	19.70	PFR30X10P	5.02	PFR50R20P	6.47	PFR75R20P	6.44
PFR20R40P	13.17	PFR3R10A	5.41	PFR50R20S	8.66	PFR75R20S	8.63
PFR20R40S	17.45	PFR3R10P	3.70	PFR50R20T	6.53	PFR75R20T	6.49
PFR20R40T	13.63	PFR3R10S	4.55	PFR50R30A	14.23	PFR75R30A	14.13
PFR25R10A	5.15	PFR3R10T	3.75	PFR50R30P	9.44	PFR75R30P	9.34
PFR25R10P	3.44	PFR3R20A	10.08	PFR50R30S	12.77	PFR75R30S	12.68
PFR25R10S	4.30	PFR3R20P	6.89	PFR50R30T	9.58	PFR75R30T	9.48
PFR25R10T	3.50	PFR3R20S	9.08	PFR50R40A	19.44	PFR75R40A	19.03
PFR25R20A	9.76	PFR3R20T	6.94	PFR50R40P	12.92	PFR75R40P	12.50
PFR25R20P	6.57	PFR3R30A	14.93	PFR50R40S	17.19	PFR75R40S	16.78
PFR25R20S	8.76	PFR3R30P	10.14	PFR50R40T	13.37	PFR75R40T	12.96
PFR25R20T	6.62	PFR3R30S	13.48	PFR50X97P	4.93		
PFR25R30A	14.55	PFR3R30T	10.29	PFR5R10A	5.31		

624 N. Fairfield St. Amarillo, TX. 79107 [www.filterspun.com](http://www.filterspun.com) (800) 432 - 0108 Fax: (806) 383 - 3842


## RAYON

See FSF-609 for additional specifications

Example:

FS-

R	5	R	20	A	C	VP
---	---	---	----	---	---	----

FILTER MEDIA	MICRON RETENTION	DIAMETER NOM. (Inches)	LENGTH NOM. (Inches)	CORE MATERIAL	CORE COVER	CORE EXTENDER
R - Rayon	1	Q - 2-1/4	4 - 3-7/8	A - 316 Stainless steel	No symbol - None	No symbol - None
	3		5 - 4-7/8			
	5		6 - 5-7/8			
	10	R - 2-1/2	7 - 6-7/8	P - Polypropylene	C - Cover compatible with media	EP - Polypropylene
	15	S - 2-3/4	8 - 7-7/8			
	20	T - 2	9 - 8-7/8			
	25	V - 2-1/8	92- 9-7/16	S - 304 Stainless steel	Z - Special	EPS - One piece polypropylene spring and top seal
	30	W - 2-3/8	93- 9-3/4			
	40	X - 2-5/8	97- 9-7/8			
	50	Y - 2-5/8	10- 10	T - Tinned steel	Z - Special	VP - 316 Stainless steel
	75		12- 12			
	100		19- 19-3/4			
	150	X - 4	20- 20	Z - Special	Z - Special	Z - Special
	200	Z - Special	29- 29-3/4			
			30- 30			
		40- 40				
		99- Special				

MODEL	LIST PRICE
R.5R10A	5.42
R.5R10P	3.71
R.5R10S	4.56
R.5R10T	3.76
R.5R20A	10.07
R.5R20P	6.82
R.5R20S	9.08
R.5R20T	6.94
R.5R30A	14.92
R.5R30P	10.04
R.5R30S	13.47
R.5R30T	10.16
R.5R40A	20.04
R.5R40P	13.43
R.5R40S	17.79
R.5R40T	13.97
R100R10A	4.54
R100R10P	2.83
R100R10S	4.36

MODEL	LIST PRICE
R100R10T	3.56
R100R20A	9.03
R100R20P	5.77
R100R20S	8.03
R100R20T	5.89
R100R30A	13.27
R100R30P	8.38
R100R30S	11.81
R100R30T	8.51
R100R40A	17.91
R100R40P	11.31
R100R40S	15.66
R100R40T	11.84
R10R10A	5.01
R10R10P	3.30
R10R10S	4.16
R10R10T	3.36
R10R20A	9.39
R10R20P	6.14

MODEL	LIST PRICE
R10R20S	8.40
R10R20T	6.26
R10R30A	14.03
R10R30P	9.15
R10R30S	12.58
R10R30T	9.27
R10R40A	19.01
R10R40P	12.40
R10R40S	16.76
R10R40T	12.94
R150R10A	4.44
R150R10P	2.73
R150R10S	3.59
R150R10T	2.79
R150R20A	8.96
R150R20P	5.71
R150R20S	7.96
R150R20T	5.83
R150R30A	13.20

MODEL	LIST PRICE
R150R30P	8.32
R150R30S	11.75
R150R30T	8.44
R150R40A	17.81
R150R40P	11.21
R150R40S	15.56
R150R40T	11.74
R15R10A	4.98
R15R10P	3.27
R15R10S	4.12
R15R10T	3.32
R15R20A	9.36
R15R20P	6.11
R15R20S	8.36
R15R20T	6.23
R15R30A	13.93
R15R30P	9.05
R15R30S	12.48
R15R30T	9.17

## RAYON

MODEL	LIST PRICE	MODEL	LIST PRICE	MODEL	LIST PRICE	MODEL	LIST PRICE
R15R40A	18.95	R20R20S	8.30	R30R40S	16.36	R50R30A	13.47
R15R40P	12.34	R20R20T	6.16	R30R40T	12.54	R50R30P	8.58
R15R40S	16.69	R20R30A	13.87	R3R10A	5.18	R50R30S	12.01
R15R40T	12.88	R20R30P	8.98	R3R10P	3.47	R50R30T	8.71
R1R10A	5.21	R20R30S	12.41	R3R10S	4.32	R50R40A	18.45
R1R10P	3.50	R20R30T	9.11	R3R10T	3.52	R50R40P	11.84
R1R10S	4.36	R20R40A	18.71	R3R20A	9.59	R50R40S	16.20
R1R10T	3.56	R20R40P	12.11	R3R20P	6.34	R50R40T	12.38
R1R20A	9.66	R20R40S	16.46	R3R20S	8.60	R5R10A	5.08
R1R20P	6.41	R20R40T	12.64	R3R20T	6.46	R5R10P	3.37
R1R20S	8.66	R20S93T	5.07	R3R30A	14.20	R5R10S	4.22
R1R20T	6.53	R25R10A	4.91	R3R30P	9.32	R5R10T	3.42
R1R30A	14.30	R25R10P	3.20	R3R30S	12.75	R5R20A	9.49
R1R30P	9.42	R25R10S	4.06	R3R30T	9.44	R5R20P	6.24
R1R30S	12.85	R25R10T	3.26	R3R40A	19.11	R5R20S	8.50
R1R30T	9.54	R25R20A	9.26	R3R40P	12.50	R5R20T	6.36
R1R40A	19.21	R25R20P	6.01	R3R40S	16.86	R5R30A	14.10
R1R40P	12.60	R25R20S	8.26	R3R40T	13.04	R5R30P	9.22
R1R40S	16.96	R25R20T	6.13	R40R10A	4.81	R5R30S	12.65
R1R40T	13.14	R25R30A	13.80	R40R10P	3.10	R5R30T	9.34
R200R10A	4.35	R25R30P	8.92	R40R10S	3.96	R5R40A	19.08
R200R10P	2.64	R25R30S	12.35	R40R10T	3.16	R5R40P	12.47
R200R10S	3.49	R25R30T	9.04	R40R20A	9.19	R5R40S	16.83
R200R10T	2.69	R25R40A	18.68	R40R20P	5.94	R5R40T	13.01
R200R20A	8.86	R25R40P	12.07	R40R20S	8.20	R75R10A	4.68
R200R20P	5.61	R25R40S	16.43	R40R20T	6.06	R75R10P	2.97
R200R20S	7.86	R25R40T	12.61	R40R30A	13.60	R75R10S	3.82
R200R20T	5.73	R25Y20T	8.32	R40R30P	8.72	R75R10T	3.03
R200R30A	13.10	R30R10A	4.88	R40R30S	12.15	R75R20A	9.13
R200R30P	8.22	R30R10P	3.17	R40R30T	8.84	R75R20P	5.87
R200R30S	11.65	R30R10S	4.02	R40R40A	18.55	R75R20S	8.13
R200R30T	8.34	R30R10T	3.23	R40R40P	11.94	R75R20T	5.99
R200R40A	17.71	R30R20A	9.23	R40R40S	16.30	R75R30A	13.37
R200R40P	11.11	R30R20P	5.97	R40R40T	12.48	R75R30P	8.48
R200R40S	15.46	R30R20S	8.23	R50R10A	4.74	R75R30S	11.91
R200R40T	11.64	R30R20T	6.09	R50R10P	3.03	R75R30T	8.61
R20R10A	4.94	R30R30A	13.70	R50R10S	3.89	R75R40A	18.01
R20R10P	3.23	R30R30P	8.82	R50R10T	3.09	R75R40P	11.41
R20R10S	4.09	R30R30S	12.25	R50R20A	9.16	R75R40S	15.76
R20R10T	3.29	R30R30T	8.94	R50R20P	5.91	R75R40T	11.94
R20R20A	9.29	R30R40A	18.61	R50R20S	8.16		
R20R20P	6.04	R30R40P	12.01	R50R20T	6.03		



## VALUWOUND

See FSF-613 for additional specifications

EXAMPLE:

<b>10</b>	<b>P</b>	<b>P</b>	<b>40</b>	
MICRON RETENTION	FILTER MEDIA	CORE MATERIAL	LENGTH NOM. (Inches)	
.5	<b>C</b> – Bleached Cotton <b>P</b> – Polypropylene <b>PFR</b> – Fibrillated Poly. <sup>1</sup> <b>PW</b> – Potable Water Polypropylene <sup>1</sup> <b>U</b> – Unbleached Cotton  <sup>1</sup> Meets FDA regulations for portable water (drinking water)	<b>A</b> – 316 Stainless steel	10	
1			<b>P</b> – Polypropylene	20
3		<b>S</b> – 304 Stainless steel		30
5			<b>T</b> – Tinned steel	40
10				
15				
20				
25				
30				
50				
75				
100				

MODEL	LIST PRICE	MODEL	LIST PRICE	MODEL	LIST PRICE	MODEL	LIST PRICE
.5PFRP10	3.71	100PP97	2.00	10PT40	8.15	15PFRP30	8.89
.5PFRP20	6.73	100PWP10	1.94	10UP10	1.88	15PFRP40	11.90
.5PFRP30	9.87	10CP10	2.62	10UT20	4.16	15PP10	2.52
.5PFRP40	12.99	10PA30	10.40	150PFRP10	2.77	15PP20	5.54
.5PP10	2.96	10PFRP10	3.31	150PFRP20	5.64	15PP30	8.25
.5PP20	6.11	10PFRP20	6.06	150PFRP30	8.19	15PP40	10.36
.5PP30	8.49	10PFRP30	8.99	150PFRP40	10.81	1CP10	2.54
.5PP40	11.52	10PFRP40	11.97	150PP10	2.26	1CSC20	9.09
100CP10	2.68	10PFRP97	2.37	150PP20	5.18	1PFRP10	3.51
100PFRP10	2.86	10PP10	2.55	150PP30	7.56	1PFRP20	6.31
100PFRP20	5.70	10PP20	5.47	150PP40	9.46	1PFRP30	9.25
100PFRP30	8.25	10PP30	8.12	15CP10	2.39	1PFRP40	12.16
100PFRP40	10.91	10PP40	10.39	15CS30VP	12.54	1PFRT10	3.56
100PP10	2.29	10PP93	2.11	15CSC10	3.79	1PP10	2.70
100PP20	5.24	10PP97	2.11	15CSC20	6.47	1PP20	5.72
100PP30	7.65	10PT20	4.76	15PFRP10	3.28	1PP30	8.27
100PP40	9.58	10PT30	7.15	15PFRP20	6.02	1PP40	10.54

## VALUWOUND

MODEL	LIST PRICE
1PP5	1.80
1PP97	2.34
1UP10	1.91
1UP30	5.70
200PFRP10	2.67
200PFRP20	5.54
200PFRP30	8.09
200PFRP40	10.72
200PP10	2.20
200PP20	5.12
200PP30	7.47
200PP40	9.32
200PP5	1.60
200PP97	1.97
20CP10	2.82
20PA10	4.19
20PFRP10	3.25
20PFRP20	5.96
20PFRP30	8.83
20PFRP40	11.68
20PP10	2.49
20PP20	5.51
20PP30	7.86
20PP40	9.88
20PP93	2.05
20PP97	2.14
20PT10	2.34
20PT30	6.90
20PT40	9.01
20UA10	3.28
25PFRP10	3.22
25PFRP20	5.93
25PFRP30	8.77
25PFRP40	11.65

MODEL	LIST PRICE
25PP10	2.49
25PP20	5.48
25PP30	7.98
25PP40	9.85
25UP10	1.82
30PFRP10	3.18
30PFRP20	5.90
30PFRP30	8.67
30PFRP40	11.58
30PFRP97	2.68
30PP10	2.43
30PP20	5.39
30PP30	7.92
30PP40	9.79
30PT30	6.16
30PT40	8.81
3PFRP10	3.47
3PFRP20	6.25
3PFRP30	9.15
3PFRP40	12.06
3PP10	2.67
3PP20	5.69
3PP30	8.40
3PP40	10.51
3UP10	1.91
50CT10	2.57
50PFRP10	3.06
50PFRP20	5.83
50PFRP30	8.44
50PFRP40	11.42
50PFRP97	2.31
50PP10	2.37
50PP20	5.36
50PP30	7.68

MODEL	LIST PRICE
50PP40	9.73
50PP97	2.02
50PT10	2.22
50PT20	4.65
50PT30	6.75
5CT10	2.76
5CTC30	9.35
5KP40	9.15
5PA30	11.14
5PFRP10	3.38
5PFRP20	6.15
5PFRP30	9.05
5PFRP40	12.03
5PP10	2.58
5PP20	5.60
5PP30	8.15
5PP40	10.26
5PP5	2.00
5PP93	2.51
5PP97	2.14
5PT10	2.34
5PT30	7.27
5PWP30	11.46
5UP30	5.22
5UT30	5.73
75PFRP10	2.99
75PFRP20	5.80
75PFRP30	8.35
75PFRP40	11.01
75PP10	2.32
75PP20	5.33
75PP30	7.74
75PP40	9.64
75UP30	5.24

624 N. Fairfield St. Amarillo, TX. 79107 [www.filterspun.com](http://www.filterspun.com) (800) 432 - 0108 Fax: (806) 383 - 3842


## FDA POLYPROPYLENE

See FSF-608 for additional specifications

Example: FS- **PW** **.5** **R** **20** **P** **C** **EP**

FILTER MEDIA MICRON	RETENTION DIAMETER	NOM. (Inches) LENGTH	NOM. (Inches) CORE	MATERIAL CORE	COVER CORE	EXTENDER
<b>PW</b> - Potable Water <sup>1</sup>  <sup>1</sup> Meets FDA regulations for potable water	1		4 - 3-7/8	A - 316 Stainless steel	No symbol - None	No symbol - None
	3	Q - 2-1/4	5 - 4-7/8			
	5	R - 2-1/2	6 - 5-7/8	P - Polypropylene	C - Cover compatible with media	EP - Polypropylene
	10	S - 2-3/4	7 - 6-7/8			
	15	T - 2	8 - 7-7/8	S - 304 Stainless steel	Z - Special	EPS - One piece polypropylene spring and top seal
	20	V - 2-1/8	9 - 8-7/8			
	25	W - 2-3/8	92- 9-7/16	T - Tinned steel		VP - 316 Stainless steel
	30	X - 4	93- 9-3/4			
	40	Y - 2-5/8	97- 9-7/8	Z - Special		Z - Special
	50	Z - Special	10- 10			
	75		12- 12			
	100		19- 19-3/4			
	150		20- 20			
	200		29- 29-3/4			
			30- 30			
			40- 40			
		99- Special				

MODEL	LIST PRICE
PW.5R10A	4.87
PW.5R10P	3.16
PW.5R10S	3.99
PW.5R10T	3.22
PW.5R20A	9.90
PW.5R20P	6.77
PW.5R20S	8.91
PW.5R20T	6.83
PW.5R30A	14.76
PW.5R30P	9.97
PW.5R30S	13.30
PW.5R30T	10.11
PW.5R40A	19.39
PW.5R40P	12.86
PW.5R40S	17.14
PW.5R40T	13.32
PW100R10A	4.25

MODEL	LIST PRICE
PW100R10P	2.54
PW100R10S	3.36
PW100R10T	2.59
PW100R20A	9.02
PW100R20P	5.88
PW100R20S	8.03
PW100R20T	5.94
PW100R30A	13.43
PW100R30P	8.64
PW100R30S	11.98
PW100R30T	8.78
PW100R40A	17.62
PW100R40P	11.09
PW100R40S	15.37
PW100R40T	11.55
PW10R10A	4.52
PW10R10P	2.81

MODEL	LIST PRICE
PW10R10S	3.63
PW10R10T	2.87
PW10R20A	9.35
PW10R20P	6.22
PW10R20S	8.42
PW10R20T	6.28
PW10R30A	14.07
PW10R30P	9.29
PW10R30S	12.62
PW10R30T	9.43
PW10R40A	18.45
PW10R40P	11.92
PW10R40S	16.19
PW10R40T	12.38
PW10X20P	11.54
PW150R10A	4.22
PW150R10P	2.51

MODEL	LIST PRICE
PW150R10S	3.33
PW150R10T	2.56
PW150R20A	9.01
PW150R20P	5.82
PW150R20S	8.02
PW150R20T	5.88
PW150R30A	13.34
PW150R30P	8.55
PW150R30S	11.88
PW150R30T	8.69
PW150R40A	17.50
PW150R40P	10.97
PW150R40S	15.24
PW150R40T	11.43
PW15R10A	4.49
PW15R10P	2.78
PW15R10S	3.64

## FDA POLYPROPYLENE

MODEL	LIST PRICE	MODEL	LIST PRICE	MODEL	LIST PRICE	MODEL	LIST PRICE
PW15R10T	2.84	PW200R30P	8.46	PW25R40S	15.64	PW40R20P	6.01
PW15R20A	9.38	PW200R30S	11.79	PW25R40T	11.82	PW40R20S	8.20
PW15R20P	6.19	PW200R30T	8.60	PW30R10A	4.40	PW40R20T	6.06
PW15R20S	8.38	PW200R40A	17.34	PW30R10P	2.69	PW40R30A	13.68
PW15R20T	6.25	PW200R40P	10.82	PW30R10S	3.55	PW40R30P	8.89
PW15R30A	14.04	PW200R40S	15.09	PW30R10T	2.75	PW40R30S	12.22
PW15R30P	9.25	PW200R40T	11.27	PW30R20A	9.23	PW40R30T	9.03
PW15R30S	12.59	PW20R10A	4.46	PW30R20P	6.04	PW40R40A	17.80
PW15R30T	9.40	PW20R10P	2.75	PW30R20S	8.23	PW40R40P	11.28
PW15R40A	18.42	PW20R10S	3.61	PW30R20T	6.09	PW40R40S	15.55
PW15R40P	11.89	PW20R10T	2.81	PW30R30A	13.71	PW40R40T	11.73
PW15R40S	16.16	PW20R20A	9.35	PW30R30P	8.92	PW40X20P	11.03
PW15R40T	12.34	PW20R20P	6.16	PW30R30S	12.25	PW50R10A	4.34
PW15R93S	3.51	PW20R20S	8.35	PW30R30T	9.06	PW50R10P	2.63
PW1R10A	4.68	PW20R20T	6.22	PW30R40A	17.83	PW50R10S	3.48
PW1R10P	2.97	PW20R29.5P	6.87	PW30R40P	11.31	PW50R10T	2.69
PW1R10S	3.82	PW20R30A	13.89	PW30R40S	15.58	PW50R20A	9.20
PW1R10T	3.02	PW20R30P	9.10	PW30R40T	11.76	PW50R20P	6.01
PW1R20A	9.57	PW20R30S	12.44	PW3R10A	4.65	PW50R20S	8.20
PW1R20P	6.37	PW20R30T	9.24	PW3R10P	2.94	PW50R20T	6.06
PW1R20S	8.57	PW20R40A	17.93	PW3R10S	3.79	PW50R30A	13.61
PW1R20T	6.43	PW20R40P	11.40	PW3R10T	2.99	PW50R30P	8.83
PW1R30A	14.17	PW20R40S	15.67	PW3R20A	9.54	PW50R30S	12.16
PW1R30P	9.38	PW20R40T	11.85	PW3R20P	6.34	PW50R30T	8.97
PW1R30S	12.71	PW20X20P	12.14	PW3R20S	8.54	PW50R40A	17.77
PW1R30T	9.52	PW25R10A	4.46	PW3R20T	6.40	PW50R40P	11.25
PW1R40A	18.60	PW25R10P	2.75	PW3R30A	14.20	PW50R40S	15.52
PW1R40P	12.07	PW25R10S	3.61	PW3R30P	9.41	PW50R40T	11.70
PW1R40S	16.35	PW25R10T	2.81	PW3R30S	12.74	PW50R97P	2.28
PW1R40T	12.53	PW25R20A	9.32	PW3R30T	9.55	PW5R10A	4.55
PW200R10A	4.16	PW25R20P	6.13	PW3R40A	18.57	PW5R10P	2.84
PW200R10P	2.45	PW25R20S	8.32	PW3R40P	12.04	PW5R10S	3.70
PW200R10S	3.30	PW25R20T	6.19	PW3R40S	16.32	PW5R10T	2.90
PW200R10T	2.50	PW25R30A	13.77	PW3R40T	12.50	PW5R20A	9.44
PW200R20A	8.95	PW25R30P	8.98	PW40R10A	4.37	PW5R20P	6.25
PW200R20P	5.76	PW25R30S	12.31	PW40R10P	2.66	PW5R20S	8.45
PW200R20S	7.96	PW25R30T	9.12	PW40R10S	3.52	PW5R20T	6.31
PW200R20T	5.82	PW25R40A	17.89	PW40R10T	2.72	PW5R30A	14.10
PW200R30A	13.25	PW25R40P	11.37	PW40R20A	9.20	PW5R30P	9.32

**FDA POLYPROPYLENE**

MODEL	LIST PRICE
PW5R30S	12.65
PW5R30T	9.46
PW5R40A	18.48
PW5R40P	11.95
PW5R40S	16.22
PW5R40T	12.41
PW5R93P	2.37
PW5X10P	4.53
PW5X20P	11.74
PW75R10A	4.28
PW75R10P	2.57
PW75R10S	3.42
PW75R10T	2.63
PW75R20A	9.17

MODEL	LIST PRICE
PW75R20P	5.98
PW75R20S	8.17
PW75R20T	6.03
PW75R30A	13.52
PW75R30P	8.73
PW75R30S	12.07
PW75R30T	8.88
PW75R40A	17.68
PW75R40P	11.15
PW75R40S	15.43
PW75R40T	11.61

624 N. Fairfield St. Amarillo, TX. 79107 [www.filterspun.com](http://www.filterspun.com) (800) 432 - 0108 Fax: (806) 383 - 3842


## POLYPROPYLENE

See FSF-608 for additional specifications

**Example: FS- P 10 R 20 P C EP**

FILTER MEDIA	MICRON RETENTION	DIAMETER NOMINAL (inches)	LENGTH NOMINAL (inches)	CORE MATERIAL	CORE COVER	CORE EXTENDER
P - Polypropylene	0.5	Q - 2-1/4	4 - (3-7/8)	A - 316 Stainless Steel	No Symbol - No core cover	No Symbol - No core extender
	1		5 - (4-7/8)			
	3		6 - (5-7/8)			
	5	R - 2-1/2	7 - (6-7/8)	P - Polypropylene	No Symbol - No core cover	EP - Polypropylene
	10	S - 2-3/4	8 - (7-7/8)			
	15	T - 2	9 - (8-7/8)	S - 304 Stainless Steel	No Symbol - No core cover	EPS - One piece polypropylene spring and top seal
	20		92 - (9-7/16)			
	25	V - 2-1/8	93 - (9-3/4)	T - Tinned Steel	C - Cover compatible with media	VP - 316 Stainless Steel
	30	W - 2-3/8	97 - (9-7/8)			
	40	Y - 2-5/8	10 - (10)	Z - Special	Z - Special	Z - Special
	50	X - 4	12 - (12)			
	75	Z - Special	12.5 - (12-1/2)	All cores have a 1" nominal I. D.		
	100		19 - (19-3/4)			
	150		20 - (20)			
	200		29 - (29-3/4)			
			30 - (30)			
			40 - (40)			
		99 - (Special)				

MODEL	LIST PRICE	MODEL	LIST PRICE	MODEL	LIST PRICE	MODEL	LIST PRICE
P.5R10A	4.77	P.5R40S	16.73	P100R20AC	9.34	P100R30TC	9.07
P.5R10P	3.06	P.5R40T	12.91	P100R20P	5.67	P100R40A	17.34
P.5R10S	3.92	P.5R6-1/8P	2.08	P100R20PC	6.09	P100R40AC	18.17
P.5R10T	3.12	P.5R97P	2.59	P100R20S	7.93	P100R40P	10.73
P.5R20A	9.75	P.5X20P	10.43	P100R20SC	8.34	P100R40PC	11.56
P.5R20P	6.49	P100R10A	4.19	P100R20T	5.79	P100R40S	15.09
P.5R20S	8.75	P100R10AC	4.39	P100R20TC	6.21	P100R40SC	15.91
P.5R20T	6.61	P100R10P	2.48	P100R30A	13.21	P100R40T	11.27
P.5R30A	14.50	P100R10PC	2.68	P100R30AC	13.83	P100R40TC	12.10
P.5R30P	9.61	P100R10S	3.33	P100R30P	8.33	P100R8P	2.02
P.5R30S	13.04	P100R10SC	3.54	P100R30PC	8.95	P100R97P	2.02
P.5R30T	9.74	P100R10T	2.53	P100R30S	11.76	P100X10P	4.67
P.5R40A	18.98	P100R10TC	2.74	P100R30SC	12.38	P100X20P	8.49
P.5R40P	12.38	P100R20A	8.93	P100R30T	8.45	P10R10A	4.45

## POLYPROPYLENE

MODEL	LIST PRICE	MODEL	LIST PRICE	MODEL	LIST PRICE	MODEL	LIST PRICE
P10R10AC	4.66	P150R10AC	4.36	P15R20AC	9.63	P1R20SC	8.81
P10R10P	2.74	P150R10P	2.45	P15R20P	5.97	P1R20T	6.26
P10R10PC	2.95	P150R10PC	2.65	P15R20PC	6.38	P1R20TC	6.68
P10R10S	3.60	P150R10S	3.30	P15R20S	8.22	P1R29.25P	6.84
P10R10SC	3.80	P150R10SC	3.51	P15R20SC	8.64	P1R30A	13.97
P10R10T	2.80	P150R10T	2.50	P15R20T	6.09	P1R30AC	14.59
P10R10TC	3.00	P150R10TC	2.71	P15R20TC	6.50	P1R30P	9.09
P10R15P	3.33	P150R20A	8.87	P15R30A	13.80	P1R30PC	9.71
P10R19.5P	4.76	P150R20AC	9.28	P15R30AC	14.42	P1R30S	12.52
P10R20A	9.25	P150R20P	5.62	P15R30P	8.91	P1R30SC	13.14
P10R20AC	9.66	P150R20PC	6.03	P15R30PC	9.53	P1R30T	9.22
P10R20P	6.00	P150R20S	7.87	P15R30S	12.34	P1R30TC	9.84
P10R20PC	6.41	P150R20SC	8.28	P15R30SC	12.96	P1R40A	18.28
P10R20S	8.25	P150R20T	5.73	P15R30T	9.04	P1R40AC	19.11
P10R20SC	8.67	P150R20TC	6.15	P15R30TC	9.66	P1R40P	11.67
P10R20T	6.12	P150R30A	13.12	P15R40A	18.10	P1R40PC	12.50
P10R20TC	6.53	P150R30AC	13.74	P15R40AC	18.93	P1R40S	16.03
P10R30A	13.83	P150R30P	8.24	P15R40P	11.50	P1R40SC	16.86
P10R30AC	14.45	P150R30PC	8.86	P15R40PC	12.32	P1R40T	12.21
P10R30P	8.94	P150R30S	11.67	P15R40S	15.85	P1R40TC	13.04
P10R30PC	9.56	P150R30SC	12.29	P15R40SC	16.68	P1R4P	1.77
P10R30S	12.37	P150R30T	8.36	P15R40T	12.03	P1R5P	1.31
P10R30SC	12.99	P150R30TC	8.98	P15R40TC	12.86	P1R8P	2.02
P10R30T	9.07	P150R40A	17.22	P15R6-1/8P	1.60	P1W40P	8.72
P10R30TC	9.69	P150R40AC	18.05	P15R6P	1.60	P1X10P	6.21
P10R40A	18.13	P150R40P	10.61	P1R10A	4.60	P1X20P	9.63
P10R40AC	18.96	P150R40PC	11.44	P1R10AC	4.80	P200R10A	4.10
P10R40P	11.53	P150R40S	14.97	P1R10P	2.89	P200R10AC	6.99
P10R40PC	12.35	P150R40SC	15.80	P1R10PC	3.09	P200R10P	2.39
P10R40S	15.88	P150R40T	11.15	P1R10S	3.74	P200R10PC	2.59
P10R40SC	16.71	P150R40TC	11.98	P1R10SC	3.95	P200R10S	3.24
P10R40T	12.06	P15R10A	4.42	P1R10T	2.94	P200R10SC	3.45
P10R40TC	12.89	P15R10AC	4.63	P1R10TC	3.15	P200R10T	2.45
P10R5P	2.00	P15R10P	2.71	P1R15P	2.05	P200R10TC	2.65
P10R6-1/8P	1.80	P15R10PC	2.92	P1R19.5P	4.85	P200R20A	8.81
P10R6P	1.80	P15R10S	3.57	P1R20A	9.40	P200R20AC	9.22
P10X10P	4.90	P15R10SC	3.77	P1R20AC	9.81	P200R20P	5.56
P10X20P	9.12	P15R10T	2.77	P1R20P	6.15	P200R20PC	5.97
P10X93P	4.45	P15R10TC	2.98	P1R20PC	6.56	P200R20S	7.81
P150R10A	4.16	P15R20A	9.22	P1R20S	8.40	P200R20SC	8.23

## POLYPROPYLENE

MODEL	LIST PRICE	MODEL	LIST PRICE	MODEL	LIST PRICE	MODEL	LIST PRICE
P200R20T	5.67	P20R30SC	12.82	P25R40A	17.60	P30R40P	10.89
P200R20TC	6.09	P20R30T	8.89	P25R40AC	18.43	P30R40PC	11.72
P200R30A	13.03	P20R30TC	9.51	P25R40P	11.00	P30R40S	15.29
P200R30AC	13.65	P20R40A	15.41	P25R40PC	11.82	P30R40SC	16.12
P200R30P	8.15	P20R40AC	18.46	P25R40S	15.35	P30R40T	11.47
P200R30PC	8.77	P20R40P	11.03	P25R40SC	16.18	P30R40TC	12.30
P200R30S	11.58	P20R40PC	11.85	P25R40T	11.53	P30R4P	1.25
P200R30SC	12.20	P20R40S	15.38	P25R40TC	12.36	P30R5P	1.31
P200R30T	8.27	P20R40SC	16.21	P25W20P	4.76	P30R6P	1.71
P200R30TC	8.89	P20R40T	11.56	P25W30P	6.24	P30W20P	4.30
P200R40A	17.08	P20R40TC	12.39	P25X10P	4.62	P30W5P	1.11
P200R40AC	17.90	P20W19P	4.19	P25X20P	8.98	P30X10P	4.08
P200R40P	10.47	P20X20P	9.06	P30Q10P	1.88	P30X20P	8.49
P200R40PC	11.29	P25R10A	4.39	P30Q4.75P	1.25	P3R10A	4.57
P200R40S	14.82	P25R10AC	5.09	P30R10A	4.33	P3R10AC	4.78
P200R40SC	15.65	P25R10P	2.68	P30R10AC	5.03	P3R10P	2.86
P200R40T	11.00	P25R10PC	2.89	P30R10P	2.62	P3R10PC	3.07
P200R40TC	11.83	P25R10S	3.54	P30R10PC	2.83	P3R10S	3.71
P200X20P	9.03	P25R10SC	3.74	P30R10S	3.48	P3R10SC	3.92
P20R10A	4.39	P25R10T	2.74	P30R10SC	3.68	P3R10T	2.92
P20R10AC	7.28	P25R10TC	2.95	P30R10T	2.68	P3R10TC	3.12
P20R10P	2.68	P25R18P	3.68	P30R10TC	2.89	P3R20A	9.37
P20R10PC	2.89	P25R20A	9.16	P30R20A	9.07	P3R20AC	9.78
P20R10S	3.54	P25R20AC	9.58	P30R20AC	9.49	P3R20P	6.12
P20R10SC	3.74	P25R20P	5.91	P30R20P	5.81	P3R20PC	6.53
P20R10T	2.74	P25R20PC	6.32	P30R20PC	6.22	P3R20S	8.37
P20R10TC	2.95	P25R20S	8.16	P30R20S	8.08	P3R20SC	8.78
P20R20A	9.19	P25R20SC	8.58	P30R20SC	8.49	P3R20T	6.23
P20R20AC	9.60	P25R20T	6.03	P30R20T	5.94	P3R20TC	6.65
P20R20P	5.94	P25R20TC	6.44	P30R20TC	6.35	P3R30A	13.95
P20R20PC	6.35	P25R29.25P	6.50	P30R30A	13.48	P3R30AC	14.57
P20R20S	8.19	P25R29P	6.38	P30R30AC	14.09	P3R30P	9.06
P20R20SC	8.61	P25R30A	13.53	P30R30P	8.59	P3R30PC	9.68
P20R20T	6.06	P25R30AC	14.15	P30R30PC	9.21	P3R30S	12.49
P20R20TC	6.47	P25R30P	8.65	P30R30S	12.02	P3R30SC	13.11
P20R30A	13.65	P25R30PC	9.27	P30R30SC	12.64	P3R30T	9.19
P20R30AC	14.27	P25R30S	12.08	P30R30T	8.72	P3R30TC	9.81
P20R30P	8.77	P25R30SC	12.70	P30R30TC	9.34	P3R40A	18.25
P20R30PC	9.39	P25R30T	8.77	P30R40A	17.55	P3R40AC	19.08
P20R30S	12.20	P25R30TC	9.39	P30R40AC	18.37	P3R40P	11.64

## POLYPROPYLENE

MODEL	LIST PRICE	MODEL	LIST PRICE	MODEL	LIST PRICE	MODEL	LIST PRICE
P3R40PC	12.47	P40R40SC	16.09	P5R10A	4.48	P5X20P	9.52
P3R40S	16.00	P40R40T	11.45	P5R10AC	4.69	P5X93P	4.76
P3R40SC	16.83	P40R40TC	12.27	P5R10P	2.77	P5Y30P	8.44
P3R40T	12.18	P50R10A	4.27	P5R10PC	2.98	P75R10A	4.23
P3R40TC	13.01	P50R10AC	4.48	P5R10S	3.63	P75R10AC	4.42
P3R5P	1.25	P50R10P	2.56	P5R10SC	3.83	P75R10P	2.51
P3R6P	1.82	P50R10PC	2.77	P5R10T	2.83	P75R10PC	2.71
P3R93P	2.42	P50R10S	3.42	P5R10TC	3.03	P75R10S	3.36
P40R10A	4.30	P50R10SC	3.63	P5R19P	4.90	P75R10SC	3.57
P40R10AC	4.51	P50R10T	2.62	P5R20A	9.28	P75R10T	2.56
P40R10P	2.59	P50R10TC	2.83	P5R20AC	9.69	P75R10TC	2.77
P40R10PC	2.80	P50R20A	9.04	P5R20P	6.03	P75R20A	9.02
P40R10S	3.45	P50R20AC	9.46	P5R20PC	6.44	P75R20AC	9.43
P40R10SC	3.66	P50R20P	5.79	P5R20S	8.28	P75R20P	5.76
P40R10T	2.65	P50R20PC	6.21	P5R20SC	8.70	P75R20PC	6.18
P40R10TC	2.86	P50R20S	8.05	P5R20T	6.14	P75R20S	8.02
P40R20A	9.04	P50R20SC	8.46	P5R20TC	6.56	P75R20SC	8.43
P40R20AC	9.46	P50R20T	5.91	P5R29.5P	7.01	P75R20T	5.88
P40R20P	5.79	P50R20TC	6.32	P5R30A	13.86	P75R20TC	6.29
P40R20PC	6.21	P50R30A	13.39	P5R30AC	14.48	P75R30A	13.30
P40R20S	8.05	P50R30AC	14.01	P5R30P	8.97	P75R30AC	13.92
P40R20SC	8.46	P50R30P	8.50	P5R30PC	9.59	P75R30P	8.42
P40R20T	5.91	P50R30PC	9.12	P5R30S	12.40	P75R30PC	9.03
P40R20TC	6.32	P50R30S	11.93	P5R30SC	13.02	P75R30S	11.85
P40R30A	13.42	P50R30SC	12.55	P5R30T	9.10	P75R30SC	12.47
P40R30AC	14.04	P50R30T	8.63	P5R30TC	9.72	P75R30T	8.54
P40R30P	8.53	P50R30TC	9.25	P5R40A	18.16	P75R30TC	9.16
P40R30PC	9.15	P50R40A	17.49	P5R40AC	18.99	P75R40A	17.40
P40R30S	11.96	P50R40AC	18.31	P5R40P	11.55	P75R40AC	18.23
P40R30SC	12.58	P50R40P	10.88	P5R40PC	12.38	P75R40P	10.79
P40R30T	8.66	P50R40PC	11.71	P5R40S	15.91	P75R40PC	11.62
P40R30TC	9.28	P50R40S	13.81	P5R40SC	16.74	P75R40S	15.15
P40R40A	17.52	P50R40SC	16.06	P5R40T	12.09	P75R40SC	15.97
P40R40AC	18.34	P50R40T	11.42	P5R40TC	12.92	P75R40T	11.33
P40R40P	10.91	P50R40TC	12.24	P5R4P	1.40	P75R40TC	12.15
P40R40PC	11.74	P50R5P	1.80	P5R4T	1.77	P75W10P	2.17
P40R40S	15.26	P50X20P	8.61	P5X10P	4.45	P75W30P	6.13
						PB-9	2.11